

AZzardo

new collection
AUTUMN 2025

AZZARDO.COM

pictorial list



Agora 87



Alexandria 77



Apus 73



Artemis 11




Babil 78




Barletta 15



Burano 23



Demeter 13




Disc 65




Durante 97



Eagle 61




Eclipse 59




Elmo 85




Euforia 43




Exo line 79




Fada 69



Flow 35



Frame 99




Hestia 9




Krypton 57



Liman 77




Memphis 33




Mizuki 40



Molly 81




Moons 58




Morten 98



Nazar 53



Ontario 83




Orion 67




Pandino 91




Pandora 94



Pelle 71




Portofino 5




Pronto 93



Puma 7




Ripple 63



Saturn 55



Serenity 75




Shiro 39




Spark 31



Sparkling 29



Track IP65 103



Trost 86



Valira 22



Zambezi 27




Zigzag 41




new collection
AUTUMN 2025

PORTOFINO 3-STEP DIMM




Portofino 80 3-STEP DIMM
AZ6661

Portofino 80 3-STEP DIMM	
Code/Color	○ AZ6661 white
Finish	matt
Material	aluminium
Light source	1 x LED integrated, 39W
Type of control	3-STEP DIMMER



3-Step dimming system




Oriol Llahona, Barcelona

He studied Industrial Design at Elisava Universitat Pompeu Fabra Barcelona, Universität Essen, University Southampton and Graduated in 1999 and Postgraduated in 2004. Internship at Franc FernándezArquitecte where he learned to extract the essence and the soul of things. His works have been shown at Milan, Frankfurt and Tokyo..

This is a lamp with extremely simple design but harmonious and beautiful lines. Soft light and good environmental lighting effect.

The design of three sizes enables her to adapt to all kinds of spaces from home to engineering, and can bring a sense of harmonious personality to the space.



„Design thinking can be applied to any product or service. Based in our experience, we focus on next areas to provide meaningful designs.”

Oriol Llahona

PUMA




Puma RED
AZ6785



Puma BK
AZ6786

Puma	
Code/Color	● AZ6785 red ● AZ6786 black
Finish	shiny
Material	PVC/glass
Light source	1 x E27






HESTIA BK



Hestia BK
AZ6787

Hestia BK
Code/Color ● AZ6787 black
Finish matt
Material PVC /aluminium /glass
Light source 1 x E27






ARTEMIS BK

Artemis BK
AZ6783



Artemis BK
Code/Color ● AZ6783 black
Finish Matt
Material PVC /aluminium /glass
Light source 1 x E27






DEMETER GO

Demeter GO
AZ6784




Demeter GO
Code/Color ● AZ6784 gold
Finish shiny
Material PVC /aluminium /glass
Light source 1 x E27






BARLETTA 60 TOP & PENDANT 3-STEP DIMM




Barletta 60 Top 3-Step Dimm
AZ6902


Barletta 60 Top 3-Step Dimm	
Code/Color	● AZ6902 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	1 x LED integrated, 60W
Kelvins	3000K
Type of control	3-STEP DIMMER



Barletta 60 Pendant 3-Step Dimm	
Code/Color	● AZ6901 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	1 x LED integrated, 60W
Kelvins	3000K
Type of control	3-STEP DIMMER



3-Step dimming system




BARLETTA 80 TOP & PENDANT 3-STEP DIMM




Barletta 80 Pendant 3-Step Dimm
AZ6900

Barletta 80 Pendant 3-Step Dimm
Code/Color ● AZ6900 Gold Rose
Finish Shiny
Material Aluminium / Crystal
Light source 1 x LED integrated, 90W
Kelvins 3000K
Type of control 3-STEP DIMMER




Barletta 80 Top 3-Step Dimm
AZ6903

Barletta 80 Top 3-Step Dimm
Code/Color ● AZ6903 gold rose
Finish shiny
Material aluminium/crystal
Light source 1 x LED integrated, 90W
Kelvins 3000K
Type of control 3-STEP DIMMER



3-Step dimming system




BARLETTA 60+100 PENDANT 3-STEP DIMM




Barletta 60+100 Pendant 3-Step Dimm
AZ6902

Barletta 60+100 Pendant 3-Step Dimm

Code/Color	● AZ6902 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	2 x LED integrated, 180W
Kelvins	3000K
Type of control	3-STEP DIMMER



3-Step dimming system






BARLETTA 120 OVAL 3-STEP DIMM




Barletta 120 Oval 3-Step Dimm
AZ6905

Barletta 120 Oval 3-Step Dimm	
Code/Color	AZ6905 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	1 x LED integrated, 120W
Kelvins	3000K
Type of control	3-STEP DIMMER



3-Step dimming system






BARLETTA WALL



Barletta Wall
AZ6906

Barletta Wall	
Code/Color	● AZ6906 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	1 x LED integrated, 18W
Kelvins	3000K




VALIRA WALL GO

Valira Wall
AZ6912




Valira Wall	
Code/Color	● AZ6912 gold rose
Finish	shiny
Material	aluminium/crystal
Light source	2 x LED integrated, 20W
Kelvins	3000K





Burano 40 Top Ch
AZ6911

Burano 40 Top Ch
Code/Color ● AZ6911 chrome
Finish shiny
Material aluminium/crystal
Light source 5 x E14



BURANO 60 PENDANT&TOP CH




Burano 60 Pendant Ch
AZ6908




Burano 60 Top Ch
AZ6910

Burano 60 Top Ch
Code/Color ● AZ6910 chrome
Finish shiny
Material aluminium/crystal
Light source 11 x E14



Burano 60 Pendant Ch
Code/Color ● AZ6908 chrome
Finish shiny
Material aluminium/crystal
Light source 11 x E14



BURANO 100 PENDANT&TOP CH





Burano 100 Pendant Ch
AZ6907



Burano 100 Top Ch
AZ6909

Burano 100 Pendant Ch
Code/Color ● AZ6907 chrome
Finish shiny
Material aluminium/crystal
Light source 28 x E14

Burano 100 Top Ch
Code/Color ● AZ6909 chrome
Finish shiny
Material aluminium/crystal
Light source 28 x E14






ZAMBEZI 120 PENDANT



Zambezi 120 Pendant GO
AZ6913

Zambezi 120 Pendant
Code/Color ● AZ6913 gold rose
Finish shiny
Material aluminium/crystal
Light source 18 x E14







SPARKING PENDANT 120 CCT DIMM + REMOTE CONTROL



Sparking Pendant 120 CCT DIMM CH + REMOTE CONTROL CHROME
AZ6566




Remote Control



Sparking Pendant 120 CCT DIMM CH + REMOTE CONTROL Gold
AZ6567

Sparking Pendant 120 CCT DIMM GO + REMOTE CONTROL

- Code/Color ● AZ6567 gold
 ● AZ6566 chrome
- Finish shiny
- Material aluminium
- Light source 2 x LED integrated, 70W
- Kelvins 2900 - 3900K
- Lumens 4195lm
- Type of control REMOTE CONTROL



SPARK WAVES PENDANT CCT DIMM + REMOTE CONTROL



Spark Waves Pendant 120 CCT DIMM GO + REMOTE CONTROL CHROME
AZ6562




Remote Control



Spark Waves Pendant 120 CCT DIMM GO + REMOTE CONTROL Gold
AZ6563


Spark Waves Pendant 120 CCT DIMM + REMOTE CONTROL

Code/Color	● AZ6562 chrome ● AZ6563 gold
Finish	shiny
Material	aluminium
Light source	2 x LED integrated, 68W
Kelvins	3000-4000K
Lumens	4070lm
Type of control	REMOTE CONTROL



Spark Waves Pendant 150 CCT DIMM + REMOTE CONTROL

Code/Color	● AZ6564 chrome ● AZ6565 gold
Finish	shiny
Material	aluminium
Light source	2 x LED integrated, 97W
Kelvins	3000 - 4000K
Lumens	5090lm
Type of control	REMOTE CONTROL





MEMPHIS PENDANT 3-STEP DIMM




Memphis Pendant 3-Step Dimm BK
AZ6815





Memphis Pendant 3-Step Dimm GO
AZ6814

Memphis Pendant 3-Step Dimm	
Code/Color	● AZ6814 gold/shiny ● AZ6815 black/matt
Material	aluminium/silicone
Light source	2 x LED integrated, 55W
Kelvins	2800K
Lumens	2580lm
Type of control	3-STEP DIMMER



3-Step dimming system






FLOW 41 PENDANT 3-STEP DIMM

Flow 41 Pendant 3-Step Dimm GO
AZ6818

Flow 41 Pendant 3-Step Dimm GO	
Code/Color	● AZ6818 gold/shiny ● AZ6819 black/matt
Material	aluminium/silicone
Light source	41 x LED integrated, 324W
Kelvins	3000K
Type of control	3-STEP DIMMER



FLOW 13 PENDANT 3-STEP DIMM






FLOW 13 PENDANT 3-STEP DIMM



Flow 13 Pendant 3-Step Dimm BK
AZ6817


Flow 13 Pendant 3-Step Dimm	
Code/Color	● AZ6816 gold /shiny ● AZ6817 black/matt
Material	aluminium / silicone
Light source	13 x LED integrated
Kelvins	3000K
Type of control	3-STEP DIMMER



SHIRO WALL




Shiro Wall BK
AZ6823



Shiro Wall GO
AZ6822

Shiro Wall	
Code/Color	● AZ6822 gold/shiny ● AZ6823 black/matt
Material	aluminium/silicone
Light source	2 x LED integrated, 16W
Kelvins	2800K
Lumens	390lm



MIZUKI WALL


Mizuki Wall GO
AZ6824



Mizuki Wall BK
AZ6825



Mizuki Wall	
Code/Color	● AZ6824 gold/shiny ● AZ6825 black/matt
Material	aluminium/silicone
Light source	1 x LED integrated, 20W
Kelvins	3000K
Lumens	440lm




ZIGZAG 3-STEP DIMM




Zigzag go
AZ6528

Zigzag GO	
Code/Color	● AZ6528 brass gold
Finish	brushed
Material	aluminium
Light source	1 x LED integrated, 43W
Kelvins	2900K
Lumens	4591lm
Type of control	3-STEP DIMMER




3-Step dimming system






EUFORIA 1 PENDANT 3-STEP DIMM




Euforia 13 Pendant 1 Go
AZ6734



Euforia 16 Pendant 1 CH
AZ6796

Euforia 13 Pendant 1	
Code/Color	● AZ6734 gold ● AZ6797 chrom
Finish	shiny
Material	aluminium/glass
Light source	1 x LED integrated, 6W
Kelvins	3000K
Lumens	450lm


Euforia 16 Pendant 1	
Code/Color	● AZ6735 gold ● AZ6735 chrom
Finish	SHINY
Material	aluminium/glass
Light source	1 x LED integrated, 6W
Kelvins	3000K
Lumens	450lm



EUFORIA 2 PENDANT GO & EUFORIA WALL 1 GO




Euforia 2 Pendant Go
AZ6736




Euforia Wall 1 Go
AZ6741

Euforia Wall 1 Go	
Code/Color	● AZ6741 gold
Finish	shiny
Material	aluminium / glass
Light source	1 x LED integrated, 6W
Kelvins	3000K
Lumens	450lm



Euforia Pendant 2 Go	
Code/Color	● AZ6736 gold
Finish	shiny
Material	aluminium/glass
Light source	2 x LED integrated, 2x6W
Kelvins	3000K
Lumens	900lm




EUFORIA PENDANT 5 LINE 3-STEP DIMM GO



Euforia Pendant 5 Line 3-Step Dimm Go
AZ6737

Euforia Pendant 5 Line 3-Step Dimm Go	
Code/Color	● AZ6737 gold
Finish	shiny
Material	aluminium/glass
Light source	5 x LED integrated, 30W
Kelvins	3000K
Type of control	3-STEP DIMMER




EUFORIA PENDANT 5 ROUND 3-STEP DIMM GO


Euforia Pendant 5 Round 3-Step Dimm Go
AZ6738



Euforia Pendant 5 Round 3-Step Dimm Go	
Code/Color	● AZ6738 gold
Finish	shiny
Material	aluminium/glass
Light source	5 x LED integrated, 30W
Kelvins	3000K
Type of control	3-STEP DIMMER



3-Step dimming system




EUFORIA PENDANT 10 ROUND 3-STEP DIMM GO




Euforia Pendant 10 Round 3-Step Dimm Go
AZ6739

Euforia Pendant 10 Round 3-Step Dimm Go	
Code/Color	● AZ6739 gold
Finish	shiny
Material	aluminium/glass
Light source	10 x LED integrated, 60W
Kelvins	3000K
Type of control	3-STEP DIMMER



3-Step dimming system




EUFORIA PENDANT 19 ROUND 3-STEP DIMM GO




Euforia Pendant 19 Round 3-Step Dimm Go
AZ6740

Euforia Pendant 19 Round 3-Step Dimm Go


Code/Color	● AZ6740 gold
Finish	shiny
Material	aluminium/glass
Light source	19 x LED integrated, 120W
Kelvins	3000K
Type of control	3-STEP DIMMER




3-Step dimming system



ANDORA 1 PENDANT




Andora 1 Pendant Smoky
AZ6883




Andora 1 Pendant Amber
AZ6882

Andora 1 Pendant	
Code/Color	● AZ6882 amber ● AZ6883 smoky
Finish	shiny/satin
Material	glass/aluminium
Light source	1 x LED integrated, 12W
Kelvins	3000K
Lumens	600lm



ANDORA 3 PENDANT 3-STEP DIMM




Andora 3 Pendant 3-Step Dimm Amber
AZ6884




Andora 3 Pendant 3-Step Dimm Smoky
AZ6885

Andora Pendant 3 3-Step Dimm	
Code/Color	● AZ6884 amber ● AZ6885 smoky
Finish	shiny/satin
Material	glass/aluminium
Light source	3 x LED integrated, 28W
Kelvins	3000K
Lumens	2025lm
Type of control	3-STEP DIMMER



3-Step dimming system



ANDORA 5 PENDANT 3-STEP DIMM




Andora 5 Pendant 3-Step Dimm Amber
AZ6886




Andora 5 Pendant 3-Step Dimm Smoky
AZ6887


- Andora 5 Pendant 3-Step Dimm
- | | |
|-----------------|-------------------------|
| Code/Color | ● AZ6886 amber |
| | ● AZ6887 smoky |
| Finish | shiny/satin |
| Material | glass/aluminium |
| Light source | 5 x LED integrated, 48W |
| Lumens | 2500lm |
| Kelvins | 3000K |
| Type of control | 3-STEP DIMMER |



3-Step dimming system



ANDORA WALL




Andora Wall 30 Smoky
AZ6891




Andora Wall 20 Amber
AZ6888

Andora Wall 20	
Code/Color	● AZ6888 amber ● AZ6890 smoky
Finish	shiny/satin
Material	glass/aluminium
Light source	1 x LED integrated, 8W
Kelvins	3000K
Lumens	450lm

Andora Wall 30	
Code/Color	● AZ6889 amber ● AZ6891 smoky
Finish	shiny/satin
Material	glass/aluminium
Light source	1 x LED integrated, 12W
Kelvins	3000K
Lumens	600lm



20



30

NAZAR

3-STEP Dimming SYSTEM



Nazar 5 Pendant 3-STEP DIMM
AZ6531



Nazar Wall 20
AZ6529





Nazar Wall 30
AZ6530

Nazar 5 Pendant 3-Step Dimm

Code/Color	● AZ6531 amber
Finish	shiny
Material	glass
Light source	1 x LED integrated, 52W
Kelvins	3100K
Lumens	1189lm


Nazar Wall 20

Code/Color	● AZ6529 amber
Finish	shiny
Material	glass
Light source	1 x LED integrated, 11W
Kelvins	3100K
Lumens	158lm






Nazar Wall 30
Code/Color ● AZ6530 amber
Finish shiny
Material glass
Light source 1 x LED integrated, 11W
Kelvins 3100K
Lumens 158lm



3-Step dimming system **only in Nazar Pendant 5**





SATURN WALL





Saturn 72 Wall 3000K
AZ6663



Saturn 52 Wall 3000K
AZ6662

Saturn 52 Wall 3000K	
Code/Color	AZ6662
Light source	1 x LED integrated, 20W
Material	aluminium/stone
Lumens	148lm
Kelvins	3000K

Saturn 72 Wall 3000K	
Code/Color	AZ6663
Light source	1 x LED integrated, 29W, 276lm
Material	aluminium/stone
Lumens	276lm
Kelvins	3000K



KRYPTON TOP & PENDANT 3-STEP CCT





Krypton Top 60 3-STEP CCT
AZ6665



Krypton Pendant 60 3-STEP CCT
AZ6664

Krypton Top 60 3-STEP CCT	
Code/Color	● AZ6665 black
Finish	matt
Material	aluminium/stone
Light source	1 x LED integrated, 37W
Lumens	1200lm
CCT	2800/4000/5490K

Krypton Pendant 60 3-STEP CCT	
Code/Color	● AZ6664 black
Finish	matt
Material	aluminium/stone
Light source	1 x LED integrated, 37W
Lumens	1200lm
CCT	2800/4000/5490K




MOONS 3-STEP CCT WALL



Moons 3-STEP CCT Wall
AZ6666

Moons 3-STEP CCT Wall

Code/Color	● AZ6666 black
Finish	matt
Material	aluminium/stone
Light source	1 x LED integrated, 30W
Lumens	193lm
CCT	2800/4000/5490K



ECLIPSE WALL





Eclipse Wall 10W 3000K
AZ6667



Eclipse Wall 14W 3000K
AZ6668

Eclipse Wall 10W 3000K	
Code/Color	AZ6667 beige/stone
Material	travertine/aluminium
Light source	1 x LED integrated, 10W, 232lm
Kelvins	3000K

Eclipse Wall 14W 3000K	
Code/Color	AZ6668 beige/stone
Material	travertine/aluminium
Light source	1 x LED integrated, 14W, 291lm
Kelvins	3000K





EAGLE WALL



Eagle Wall Black
AZ6575




Eagle Wall BROWN
AZ6576



Eagle Wall BEIGE
AZ6577

Eagle Wall	
Code/Color	● AZ6575 black ● AZ6576 brown ● AZ6577 beige
Finish	matt
Material	felt
Light source	1 x LED integrated, 6W
Lumens	18lm
Kelvins	3000K







RIPPLE




Ripple Wall 40 BEIGE
AZ6579




Ripple Wall 50 AUBURN
AZ6582

- Ripple wall 40
- | | |
|--------------|-----------------------------------|
| Code/Color | ● AZ6579 beige
● AZ6580 auburn |
| Finish | matt |
| Material | aluminium |
| Light source | 1 x LED integrated, 6W, 108lm |
| Kelvins | 3000K |




- Ripple Wall 50
- | | |
|--------------|-----------------------------------|
| Code/Color | ● AZ6581 beige
● AZ6582 auburn |
| Finish | matt |
| Material | aluminium |
| Light source | 1 x LED integrated, 6W, 108lm |
| Kelvins | 3000K |






DISC

Disc Pendant 35
AZ6578



Disc Pendant 35	
Code/Color	● AZ6578 black ● AZ6742 beige ● AZ6743 auburn
Finish	matt
Material	aluminium
Light source	1 x LED integrated, 12W
Kelvins	3000K
Lumens	900lm
Type of control	TRIAC DIMMER









ORION




Orion bk
AZ6535

Orion BK	
Code/Color	● AZ6535 black
Finish	matt
Material	aluminium
Light source	3 x LED integrated, 30W
Lumens	1500lm
Kelvins	3000K







FADA



Fada 120 BK	
Code/Color	● AZ6533 black
Finish	matt
Material	aluminium
Light source	2 x LED integrated, 34W lighting up and down
Lumens	761lm
Kelvins	3000K



PELLE 3-STEP DIMM




Pelle 3-STEP DIMM BLACK
AZ5756




Pelle 3-STEP DIMM Gold
AZ5757

Pelle 3-STEP DIMM

Code/Color	AZ5756 black AZ5757 gold
Finish	matte
Material	aluminium
Light source	2 x LED integrated, 32W
Kelvins	3000K
Lumens	2400lm



3-Step dimming system







APUS



Apus 80 bk
AZ6532

Apus 80 BK	
Code/Color	● AZ6532 black
Finish	matt
Material	aluminium
Light source	LED integrated, 42W
Lumens	3174lm
Kelvins	3000K








SERENITY




Serenity 12 BK
AZ6534



Adjustable shade position

- Serenity 12 BK
- | | |
|--------------|--------------------------|
| Code/Color | ● AZ6534 black |
| Finish | matt |
| Material | aluminium/glass |
| Light source | 12 x LED integrated, 84W |
| Kelvins | 3000K |




ALEXANDRIA WALL & LIMAN CCT SWITCH




Alexandria Wall Black
AZ6558

Alexandria
Code/Color ● AZ6558 black/matt
Material aluminium/acrylic
Light source 1 x LED integrated, 8W
Lumens 357lm
Kelvins 3000K




Liman 6W CCT SWICTH BLACK
AZ6548

Liman 6W CCT
Code/Color ● AZ6548 black/matt
Material aluminium/acrylic
Light source 1 x LED integrated, 6W, 723lm
Kelvins 3000 / 4000K
Type of control CCT SWITCH



Liman 10W CCT SWITCH BLACK
Code/Color ● AZ6550 black/matt
Material aluminium/acrylic
Light source 1 x LED integrated, 10W, 1095lm
Kelvins 3000 / 4000K
Type of control CCT SWITCH



BABIL CCT SWITCH





Babil 10W CCT SWITCH WHITE
AZ6554



Babil 15W CCT SWITCH WHITE
AZ6557

Babil 10W CCT SWITCH	
Code/Color	○ AZ6554 white/matt
Material	aluminium
Light source	1 x LED integrated, 10W, 879lm
Kelvins	3000 / 4000K
Type of control	CCT SWITCH

Babil 15W CCT SWITCH	
Code/Color	○ AZ6557 white/matt
Material	aluminium
Light source	1 x LED integrated, 15W, 1297lm
Kelvins	3000 / 4000K
Type of control	CCT SWITCH



EXO LINE



Exo 3 Line 70 BLACK
AZ6650





Exo 4 Line 120 WHITE
AZ6654



Exo 6 Line 200 BEIGE
AZ6658


Exo 3 Line 70	
Code/Color	● AZ6650 black ○ AZ6651 white ● AZ6652 beige
Finish	matt
Material	aluminium
Light source	3 x GU10, max. 3x50W only LED

Exo 4 Line 120	
Code/Color	● AZ6653 black ○ AZ6654 white ● AZ6655 beige
Finish	matt
Material	aluminium
Light source	4 x GU10, max. 4x50W only LED





- Exo 6 Line 200
- Code/Color ● AZ6656 black
 ○ AZ6657 white
 ● AZ6658 beige
- Finish matt
- Material aluminium
- Light source 6 x GU10, max. 6x50W only LED



MOLLY WALL




Molly S Wall Beige
AZ6806





Molly M Wall BK
AZ6807

Molly S Wall BK	
Code/Color	● AZ6805 black ● AZ6808 beige
Finish	matt
Material	aluminium
Light source	1 x LED integrated, 6W
Kelvins	3000K
Lumens	450lm
Type of control	SWITCH DIMMER

Molly M Wall/Pendant	
Code/Color	● AZ6807 black ● AZ6808 beige
Finish	matt
Material	aluminium
Light source	1 x LED integrated, 6W
Kelvins	3000K
Lumens	450lm
Type of control	SWITCH DIMMER



OPTION



MOLLY FLOOR DIMM


Molly Floor Dimm Beige
AZ6810



Molly Floor Dimm BK
AZ6809




- Molly Floor Dimm
- | | |
|-----------------|----------------------------------|
| Code/Color | ● AZ6809 black
● AZ6810 beige |
| Finish | matt |
| Material | aluminium |
| Light source | 1 x LED integrated, 12W |
| Kelvins | 3000K |
| Lumens | 900lm |
| Type of control | SWITCH DIMMER |



ONTARIO FLOOR


Ontario Floor Beige
AZ6804



Ontario Floor BK
AZ6803



- Ontario Floor
- Code/Color ● AZ6803 black
 ● AZ6804 beige
- Finish matt
- Material aluminium
- Light source 1 x LED integrated, 18W
- Kelvins 3000K
- Lumens 1350 lm
- Type of control SWITCH DIMMER





ELMO WALL




Elmo Wall WH
AZ6799



Elmo Wall BK
AZ6798


Elmo Wall	
Code/Color	● AZ6798 black ○ AZ6799 white
Finish	matt
Material	alumiunium / glass
Light source	1 x LED integrated, 5W
Kelvins	3000K
Lumens	375 lm



TROST DIMM SWITCH TABLE



Trostr Table	
Code/Color	● AZ6800 burgundy red ● AZ6801 black ● AZ6802 beige ○ AZ7201 white
Finish	matt
Material	aluminium
Light source	1 x LED integrated, 4,5W
Kelvins	3000K
Lumens	337lm
Type of control	SWITCH DIMMER



AGORA PENDANT



Agora Pendant WHITE
AZ6641


Agora Pendant BEIGE
AZ6644




Agora Pendant PINK
AZ6645

Agora Pendant BLUE
AZ6642


- Agora Pendant
- | | |
|--------------|----------------------------------|
| Code/Color | ○ AZ6641 white |
| | ● AZ6644 beige |
| | ● AZ6645 pink |
| | ● AZ6642 blue |
| Finish | fabric/matt |
| Material | fabric/aluminium |
| Light source | 1 x E27, max. power 60W only LED |







AQUA



PANDINO CCT SWITCH 3-STEP DIMM IP44



Pandino 30 CCT SWITCH 3-STEP DIMM IP44 WHITE
AZ6583





CCT SWITCH
2800K / 4000K / 6500K



Pandino 40 CCT SWITCH 3-STEP DIMM IP44 BLACK
AZ6586

Pandino 30 CCT SWITCH 3-STEP DIMM IP44	
Code/Color	○ AZ6583 white ● AZ6584 black
Finish	matt
Material	PVC
Light source	1 x LED integrated, 23W
Lumens	1518lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH

Pandino 40 CCT SWITCH 3-STEP DIMM IP44	
Code/Color	○ AZ6585 white ● AZ6586 black
Finish	matt
Material	PVC
Light source	1 x LED integrated, 32W
Lumens	2630lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH



PANDINO CCT SWITCH SENSOR IP44



Pandino 23 CCT SWITCH SENSOR IP44 WHITE
AZ6587



Pandino 30 CCT SWITCH SENSOR IP44 BLACK
AZ6590



SENSOR
time 15-90s
range 2-8m



Pandino 40 CCT SWITCH SENSOR IP44 WHITE
AZ6591

Pandino 23 CCT SWITCH SENSOR IP44


Code/Color	○ AZ6587 white ● AZ6588 black
Finish	matt
Material	PVC
Light source	1 x LED integrated, 18W
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH

Pandino 30 CCT SWITCH SENSOR IP44

Code/Color	○ AZ6589 white ● AZ6590 black
Finish	matt
Material	PVC
Light source	1 x LED integrated, 24W
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH

Pandino 40 CCT SWITCH SENSOR IP44

Code/Color	○ AZ6591 white ● AZ6592 black
Finish	matt
Material	PVC
Light source	1 x LED integrated, 32W
Lumens	2630lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH



PRONTO WALL IP44 CCT SWITCH



Pronto Wall 60 IP44 CCT SWITCH CHROME
AZ6568





CCT SWITCH
3000K / 4000K / 6000K



Pronto Wall 90 IP44 CCT SWITCH BLACK
AZ6571

Pronto Wall 60 IP44 CCT SWITCH	
Code/Color	● AZ6568 chrome/shiny ● AZ6569 black/matt
Material	aluminium
Light source	1 x LED integrated, 14W, 1060lm
Kelvins	3000 / 4000 / 6000K
Type of control	CCT SWITCH

Pronto Wall 90 IP44 CCT SWITCH	
Code/Color	● AZ6570 chrome/shiny ● AZ6571 black/matt
Material	aluminium
Light source	1 x LED integrated, 21W, 1640lm
Kelvins	3000 / 4000 / 6000K
Type of control	CCT SWITCH



PANDORA WALL IP44 CCT SWITCH



Pandora Wall IP44 CCT SWITCH CHROME
AZ6572



Pandora Wall IP44 CCT SWITCH Gold
AZ6574




Pandora Wall IP44 CCT SWITCH BLACK
AZ6573



CCT SWITCH
3000K / 4000K / 6000K

Pandora Wall IP44 CCT SWITCH	
Code/Color	- AZ6572 chrome/shiny - AZ6573 black/matt - AZ6574 gold /shiny
Material	aluminium
Light source	1 x LED integrated, 11W, 690lm
Kelvins	3000 / 4000 / 6000K
Type of control	CCT SWITCH






OUTDOOR



DURANTE IP54 CCT SWITCH



Durante IP54 CCT SWITCH
AZ6537





Durante IP54 SENSOR CCT SWITCH
AZ6536

Durante IP54 CCT

Code/Color	● AZ6537 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 21W
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH
IP	IP54

Durante IP54 SENSOR CCT SWITCH

Code/Color	● AZ6536 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 21W
Kelvins	2800 / 4000 / 6000K
Type of control	SENSOR: DISTANCE: 0,5 - 10 m. HEIGHT: 2-2,5 m. ANGLES: 150° + 90° TIME: 30 s.-3 min. DUSK SENSITIVITY
IP	IP54



MORTEN IP54 WALL




Morten IP54 wall 3000K dark grey
AZ6637




Morten IP54 wall 3000K white
AZ6639

Morten IP54 wall 3000K	
Code/Color	○ AZ6639 white ● AZ6637 dark grey
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 10W
Kelvins	3000K
IP	IP54

Morten IP54 wall 4000K	
Code/Color	○ AZ6640 white ● AZ6638 dark grey
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 10W
Kelvins	4000K
IP	IP54



FRAME IP65 WALL




Frame IP65 wall 3000K DARK GREY
AZ6633



Frame IP65 wall 3000K CORTEN
AZ6635

Frame IP65 wall 3000K	
Code/Color	- AZ6635 corten - AZ6633 dark grey - AZ7014 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	3000K
IP	IP65

Frame IP65 wall 4000K	
Code/Color	- AZ6636 corten - AZ6634 dark grey - AZ7015 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	4000K
IP	IP65





FRAME IP65 30




Frame IP65 30 3000K CORTEN
AZ6683



Frame IP65 30 3000K DARK GREY
AZ6684

Frame IP65 30 3000K	
Code/Color	- AZ6683 corten - AZ6684 dark grey - AZ6760 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	3000K
IP	IP65


Frame IP65 30 4000K	
Code/Color	- AZ6685 corten - AZ6686 dark grey - AZ6761 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	4000K
IP	IP65



FRAME IP65 60



Frame IP65 60 3000K CORTEN
AZ6631




Frame IP65 60 3000K DARK GREY
AZ6629

Frame IP65 60 3000K

Code/Color	● AZ6631 corten ● AZ6629 dark grey ● AZ6762 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	3000K
IP	IP65

Frame IP65 60 4000K

Code/Color	● AZ6632 corten ● AZ6630 dark grey ● AZ6763 black
Finish	matt
Material	aluminium/PVC
Light source	1 x LED integrated, 12W
Kelvins	4000K
IP	IP65









Track IP65 (1m, 2m, 3m)

Length/Color/Code	● 1m black	... AZ6920
	○ 1m white	... AZ6923
	● 2m black	... AZ6921
	○ 2m white	... AZ6924
	● 3m black	... AZ6922
	○ 3m white	... AZ6925




Track IP65 LED Line 3000K/4000K (1m, 2m, 3m)

Length/Kelvins/Color/Code	○ 1m 3000K white	... AZ6926
	○ 1m 4000K white	... AZ6929
	● 1m 4000K black	... AZ7198
	○ 2m 3000K white	... AZ6927
	○ 2m 4000K white	... AZ6930
	● 2m 4000K black	... AZ7199
	○ 3m 3000K white	... AZ6928
	○ 3m 4000K white	AZ6931
	● 3m 4000K black	... AZ7200




Track IP65 Corner A (Corner90 A)

Code/Color	○ white	... AZ6939
	● black	... AZ6938




Track IP65 Straight Connector

Code/Color	○ white	... AZ6937
	● black	... AZ6936



Track IP65 End Cap


Code/Color	○ white	... AZ6941
	● black	... AZ6940






Track IP65 T-connector

Code/Color	○ white	...	AZ6940
	● black	...	AZ6943



Track IP65 Suspension

Code/Color	○ white	...	AZ6935
	● black	...	AZ6934



Track IP65 Connectors Set

Code/Color	○ white	...	AZ6932
------------	---------	-----	--------



Track IP65 LED Line End Cap

Code/Color	○ white	...	AZ6933
------------	---------	-----	--------



Track IP65 Driver **100W/200W/300W**

Code/Color/Power	100W	...	AZ6964
	200W	...	AZ6965
	300W	...	AZ6966



Track IP65 Cover Box Driver (100W/200W)


Code/Color	○ white	... AZ6970
	● black	... AZ6969



Track IP65 Silicone Glue

Code/Color	○ white	... AZ6971
------------	---------	------------


Track system IP65-INSTALLATION SCHEME



TRACK IP65 LIDO 10W 3000K




Track IP65 Lido 10W 3000K	
Code/Color	● AZ6948 black ○ AZ6949 white
Material	aluminium
Light source	1 x LED integrated, 10W
Kelvins	3000K
Lumens	600lm
CRI [Ra]	≥ 90
Beam angle	45°
IP	IP65



TRACK IP65 LIDO 10W 4000K


Track IP65 Lido 10W 4000K	
Code/Color	● AZ6950 black ○ AZ6951 white
Material	aluminium
Light source	1 x LED integrated, 10W
Kelvins	4000K
Lumens	600lm
CRI [Ra]	≥ 90
Beam angle	45°
IP	IP65



TRACK IP65 LIDO 20W 3000K




Track IP65 Lido 20W 3000K	
Code/Color	● AZ6953 black ○ AZ6952 white
Material	aluminium
Light source	1 x LED integrated, 20W
Kelvins	3000K
Lumens	1000lm
CRI [Ra]	≥ 90
Beam angle	45°
IP	IP65




TRACK IP65 LIDO 20W 4000K

Track IP65 Lido 20W 4000K	
Code/Color	● AZ6955 black ○ AZ6954 white
Material	aluminium
Light source	1 x LED integrated, 20W
Kelvins	4000K
Lumens	1000lm
CRI [Ra]	≥ 90
Beam angle	45°
IP	IP65




TRACK IP65 MURANO 8W 3000K

Track IP65 Murano 8W 3000K	
Code/Color	● AZ6944 black ○ AZ6945 white
Material	aluminium
Light source	1 x LED integrated, 8W
Kelvins	3000K
Lumens	530lm
CRI [Ra]	≥ 90
Beam angle	50°
IP	IP65



TRACK IP65 MURANO 4000K


Track IP65 Murano 8W 4000K	
Code/Color	● AZ6946 black ○ AZ6947 white
Material	aluminium
Light source	1 x LED integrated, 8W
Kelvins	4000K
Lumens	530lm
CRI [Ra]	≥ 90
Beam angle	50°
IP	IP65



TRACK IP65 FERNA 16W 3000K




Track IP65 Ferna 16W 3000K	
Code/Color	● AZ6956 black ○ AZ6957 white
Material	aluminium
Light source	1 x LED integrated, 16W
Kelvins	3000K
Lumens	660lm
CRI [Ra]	≥ 90
Beam angle	38°
IP	IP65



TRACK IP65 FERNA 16W 4000K


Track IP65 Ferna 16W 4000K	
Code/Color	● AZ6958 black ○ AZ6959 white
Material	aluminium
Light source	1 x LED integrated, 16W
Kelvins	4000K
Lumens	660lm
CRI [Ra]	≥ 90
Beam angle	38°
IP	IP65



TRACK IP65 SONIC 3000K




Track IP65 Sonic 8W 3000K	
Code/Color	● AZ6960 black ○ AZ6961 white
Material	aluminium
Light source	1 x LED integrated, 8W
Kelvins	3000K
Lumens	420lm
CRI [Ra]	≥ 90
Beam angle	38°
IP	IP65



TRACK IP65 SONIC 4000K

Track IP65 Sonic 8W 4000K	
Code/Color	● AZ6962 black ○ AZ6963 white
Material	aluminium
Light source	1 x LED integrated, 8W
Kelvins	4000K
Lumens	420lm
CRI [Ra]	≥ 90
Beam angle	38°
IP	IP65





RESERVATIONS

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

TECHNOLOGICAL

changes and limitations

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard – $Ra \geq 80$
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE – $Ra \geq 80$
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb Štandard EU – $Ra \geq 80$
Najlepš index podania farieb Ra(CRI)=100

Ra (CRI)- Index pod barev Standard EU – $Ra \geq 80$
Nejlepš index pod barev Ra(CRI)=100