

AZzardo



Platinum collection


2025/2026

AZzardo

Platinum collection

pictorial
list

				
Sigma Track Magnetic 6	Sigma Saga 9	Sigma Kira 13	Sigma Niko 17	Sigma Evia 21
				
Sigma Cora 23	Sigma Angola 26	Angola 27	Birma 29	Babil 31
				
Liman 33	Altun 35	Moroni 37	Alexandria 39	



NOWOCZESNE OBLICZE ŚWIATŁA


PL Kolekcja Platinum to połączenie ponadczasowego minimalizmu z innowacyjną technologią. Aluminiowe oprawy o anodowanych wykończeniach w odcieniach złota, tytanu i brązu zostały stworzone z myślą o najbardziej wymagających aranżacjach. Każdy detal – od smukłych form po precyzyjne wykończenie podkreśla luksusowy charakter kolekcji. Dzięki zintegrowanym modułom LED, funkcjom CCT SWITCH oraz systemom sterowania Bluetooth i DALI, Platinum oferuje światło, które można dopasować do nastroju i funkcji wnętrza. To oświetlenie, które łączy estetykę z technologią i podnosi standard każdej przestrzeni.

THE MODERN FACE OF LIGHT

EN The Platinum collection combines timeless minimalism with innovative technology. Aluminium fixtures with anodized finishes in gold, titan, white and bronze shades are designed for the most demanding interiors. Every detail – from slim forms to precise craftsmanship – reflects the luxurious character of the collection. With integrated LED modules, CCT SWITCH function, and Bluetooth and DALI control systems, Platinum offers lighting that adapts to both mood and purpose. It is illumination that merges aesthetics with technology, elevating the standard of any space.



SIGMA TRACK MAGNETIC

Platinum collection




Sigma Track Magnetic (1m, 2m)

Length/Color/Code	● 1m gold	... AZ7057
	● 1m titan	... AZ7059
	● 2m gold	... AZ7058
	● 2m titan	... AZ7060





Sigma Track Magnetic Corner A (Corner90 A)

Color/Code	● gold	... AZ7061
	● titan	... AZ7062




Sigma Track Magnetic Corner B (Corner90 B)

Color/Code	● gold	... AZ7063
	● titan	... AZ7064




Sigma Track Magnetic Low End Cap (LOW)

Color/Code	● gold	... AZ7065
	● titan	... AZ7066




Sigma Track Magnetic High End Cap (HIGH)

Color/Code	● gold	... AZ7067
	● titan	... AZ7068



Platinum collection

SAGA TRACK MAGNETIC



ŚWIATŁO W JEDNOLITEJ LINII

PL Sigma Saga (10W, 20W) to aluminiowe oprawy liniowe, w których mleczny dyfuzor tworzy elegancką, równomierną linię światła. Anodyzowane wykończenia w kolorze złotym i tytanowym nadają im luksusowego charakteru, a możliwość pracy w systemie Bluetooth lub DALI sprawia, że doskonale odnajdują się w nowoczesnych aranżacjach.

LIGHT IN A CONTINUOUS LINE

EN Sigma Saga (10W, 20W) are aluminium linear fixtures where a milky diffuser creates an elegant, uniform line of light. Available in anodized gold and titan finishes, they bring a sense of luxury, while Bluetooth and DALI compatibility make them perfect for contemporary interiors.


SIGMA SAGA TRACK MAGNETIC

Platinum collection




Sigma Saga Track Magnetic 10W CCT Bluetooth

Color/Code	● AZ7047 gold
	● AZ7049 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 10W
Kelvins	3000 - 6000K
Lumens	860lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Saga Track Magnetic 10W CCT Dali

Color/Code	● AZ7177 gold
	● AZ7179 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 10W
Kelvins	3000 - 6000K
Lumens	730lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials




gold titan




Sigma Saga Track Magnetic 20W CCT Bluetooth

- Color/Code ● AZ7048 gold
● AZ7050 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 20W
- Kelvins 3000 - 6000K
- Lumens 1570lm
- CRI [Ra] ≥ 90
- Beam angle 120°
- Dimmable YES
- CCT YES
- Remonte Control OPTION
- Type of control BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Saga Track Magnetic 20W CCT Dali

- Color/Code ● AZ7178 gold
● AZ7180 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 20W
- Kelvins 3000 - 6000K
- Lumens 1570lm
- CRI [Ra] ≥ 90
- Beam angle 120°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials




gold titan



Platinum collection

KIRA TRACK MAGNETIC



ŚWIATŁO W RYTMIE PUNKTÓW

PL Sigma Kira (10W, 20W) to liniowe oprawy, w których światło rozłożone jest w formie punktów, niczym świetlne akcenty zdobiące przestrzeń. Aluminiowa konstrukcja w kolorze złotym lub tytanowym łączy minimalistyczną estetykę z funkcjonalnością systemów Bluetooth i DALI, tworząc oświetlenie o unikalnym charakterze.

LIGHT IN RHYTHMIC ACCENTS

EN Sigma Kira (10W, 20W) are linear fixtures where light is distributed in distinct points, like luminous accents enriching the space. Crafted from aluminium in anodized gold or titan, they combine minimalist design with Bluetooth and DALI technology, offering illumination with a unique character.


SIGMA KIRA TRACK MAGNETIC

Platinum collection




Sigma Kira Track Magnetic 10W CCT Bluetooth

Color/Code	● AZ7051 gold
	● AZ7053 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 10W
Kelvins	3000 - 6000K
Lumens	1025lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan

DALI

Sigma Kira Track Magnetic 10W CCT Dali


Color/Code	● AZ7181 gold
	● AZ7183 titan
Finish	satin
Material	aluminium / PVC
Voltage	48V
Light source	1 x LED integrated, 10W
Kelvins	3000 - 6000K
Lumens	1020lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials




gold titan




Sigma Kira Track Magnetic 20W CCT Bluetooth

- Color/Code ● AZ7052 gold
● AZ7054 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 20W
- Kelvins 3000 - 6000K
- Lumens 1870lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Remonte Control OPTION
- Type of control BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Kira Track Magnetic 20W CCT Dali

- Color/Code ● AZ7182 gold
● AZ7184 titan
- Finish satin
- Material aluminium / PVC
- Voltage 48V
- Light source 1 x LED integrated, 20W
- Kelvins 3000 - 6000K
- Lumens 1870lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials



gold titan



Platinum collection

NIKO TRACK MAGNETIC



ELASTYCZNOŚĆ W NOWOCZESNEJ FORMIE

PL Sigma Niko (8W, 10W) to reflektory, które można dowolnie ustawiać dzięki wychyleniu 90° i rotacji 350°. Wykonane z aluminium w anodowanych kolorach złotym i tytanowym, oferują swobodę w modelowaniu światła, a integracja z systemami Bluetooth i DALI czyni je praktycznym i estetycznym rozwiązaniem.

FLEXIBILITY IN MODERN FORM

EN Sigma Niko (8W, 10W) are adjustable spotlights with 90° tilt and 350° rotation, allowing full control over the light direction. Made of aluminium in anodized gold or titan finishes, they integrate with Bluetooth and DALI systems, delivering both practicality and style.


SIGMA NIKO TRACK MAGNETIC

Platinum collection



Sigma Niko Track Magnetic 8W CCT Bluetooth

Color/Code	● AZ7043 gold ● AZ7044 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	650lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan

DALI

Sigma Niko Track Magnetic 8W CCT Dali

Color/Code	● AZ7173 gold ● AZ7174 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	650lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials




gold titan






Sigma Niko Track Magnetic 10W CCT Bluetooth

- Color/Code ● AZ7045 gold
● AZ7046 titan
- Finish satin
- Material aluminium
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 – 6000K
- Lumens 600lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Remonte Control OPTION
- Type of control BLUETOOTH



Texture & Materials




gold titan


DALI

Sigma Niko Track Magnetic 10W CCT Dali

- Color/Code ● AZ7175 gold
● AZ7176 titan
- Finish satin
- Material aluminium
- Voltage 48V
- Light source 1 x LED integrated, 10W
- Kelvins 3000 – 6000K
- Lumens 810lm
- CRI [Ra] ≥ 90
- Beam angle 36°
- Dimmable YES
- CCT YES
- Type of control DALI



Texture & Materials



gold titan



Platinum collection
EVIA TRACK MAGNETIC



DYSKRETNA ELEGANCJA

PL Sigma Evia (8W) to aluminiowa oprawa tubowa, która estetycznie nakłada się na szynę Sigma, tworząc subtelny detal wnętrza. Anodowane wykończenia w kolorze złotym i tytanowym podkreślają luksusowy charakter kolekcji, a możliwość pracy w systemach Bluetooth i DALI gwarantuje wygodę użytkowania.

DISCREET ELEGANCE

EN Sigma Evia (8W) is a tubular aluminium fixture that fits seamlessly onto the Sigma track, creating a subtle architectural detail. Anodized in gold or titan, it offers refined aesthetics with the convenience of Bluetooth and DALI compatibility.


SIGMA EVIA TRACK MAGNETIC

Platinum collection



Sigma Evia Track Magnetic 8W CCT Bluetooth

Color/Code	● AZ7055 gold ● AZ7056 titan
Finish	brushed
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	680lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH



Texture & Materials




gold titan

DALI

Sigma Evia Track Magnetic 8W CCT Dali

Color/Code	● AZ7185 gold ● AZ7186 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	700lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials



gold titan





Platinum collection
CORA TRACK MAGNETIC

ŚWIATŁO AKCENTOWE

PL Sigma Cora (8W) to wyjątkowa oprawa, w której światło kierowane jest ku tyłowi, a przód zdobi metalowy talerz. Wykonana z aluminium i dostępna w anodowanych kolorach złotym i tytanowym, stanowi nieszablony element oświetlenia akcentowego, kompatybilny z systemami Bluetooth i DALI.


ACCENT LIGHTING

EN Sigma Cora (8W) is an aluminium accent fixture where the light shines backwards, while the front is finished with a decorative metal plate. Available in anodized gold or titan, and compatible with Bluetooth and DALI, it brings an unconventional highlight to interiors.




Sigma Cora Track Magnetic 8W CCT Bluetooth

Color/Code	● AZ7099 gold
	● AZ7100 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	250lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Remonte Control	OPTION
Type of control	BLUETOOTH




Texture & Materials




DALI

Sigma Cora Track Magnetic 8W CCT Dali

Color/Code	● AZ7187 gold
	● AZ7188 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 8W
Kelvins	3000 - 6000K
Lumens	250lm
CRI [Ra]	≥ 90
Beam angle	120°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials





Platinum collection
ANGOLA TRACK MAGNETIC
ANGOLA PENDANT

KLASYKA SPOTYKA NOWOCZESNOŚĆ

PL Kolekcja Angola (12W) to wisząca oprawa tubowa o średnicy 4 cm, która łączy ponadczasową formę z nowoczesną technologią. Dostępna w wersji do systemu szynoprzewodów Sigma (Bluetooth / DALI) oraz jako wariant natynkowy z elegancką podsufitką. Smukła aluminiowa konstrukcja podkreśla minimalistyczny charakter lampy i sprawia, że doskonale komponuje się z różnymi aranżacjami.

CLASSIC MEETS MODERNITY



EN The Angola collection (10W, 15W)(12W) is a pendant tubular fixture with a 4 cm diameter, combining timeless form with modern technology. Available as a version for the Sigma track system (Bluetooth / DALI) or as a surface-mounted variant with an elegant ceiling rose. The slim aluminium body highlights the minimalist character of the lamp, making it a perfect fit for a wide range of interiors.



Sigma Angola Track Magnetic 12W CCT Bluetooth

Color/Code	● AZ7206 gold
	● AZ7204 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 12W
Kelvins	3000 - 6000K
Lumens	900lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Remote Control	OPTION
Type of control	BLUETOOTH


Texture & Materials




DALI

Sigma Angola Track Magnetic 12W CCT Dalı

Color/Code	● AZ7207 gold
	● AZ7205 titan
Finish	satin
Material	aluminium
Voltage	48V
Light source	1 x LED integrated, 12W
Kelvins	3000 - 6000K
Lumens	900lm
CRI [Ra]	≥ 90
Beam angle	36°
Dimmable	YES
CCT	YES
Type of control	DALI



Texture & Materials





Angola Pendant

Color/Code ● AZ7167 gold
● AZ7168 titan

Finish satin

Material aluminium

Voltage 48V

Light source 1 x LED integrated, 12W

Lumens 900lm

CRI [Ra] ≥ 90

Beam angle 36°



Texture & Materials

gold titan





Platinum collection
BIRMA PENDANT

MINIMALIZM W WYJĄTKOWEJ FORMIE

PL Birma Pendant (2W) to smukła, anodowana tuba o średnicy zaledwie 1,2 cm i wysokości 60 cm. Dostępna w kolorze złotym i tytanowym, stanowi elegancki, subtelny akcent oświetleniowy. Jej minimalistyczna forma i oryginalny charakter sprawiają, że doskonale odnajduje się w nowoczesnych, luksusowych wnętrzach.

MINIMALISM IN A UNIQUE FORM

EN Birma Pendant (2W) is a slim anodized tube with a diameter of only 1.2 cm and a height of 60 cm. Available in gold and titan finishes, it serves as an elegant and subtle lighting accent. Its minimalist shape and original character make it a perfect fit for modern, luxurious interiors.

BIRMA PENDANT



Platinum collection



Birma Pendant	
Color/Code	● AZ7165 gold/satin ● AZ7166 titan/satin
Material	aluminium
Voltage	230V
Light source	1 x LED integrated, 2W
Kelvins	3000K
Lumens	150lm
CRI [Ra]	≥ 90
Beam angle	36°



Texture & Materials





Platinum collection
BABIL CCT SWITCH

ŚWIATŁO W CZYSTEJ FORMIE

PL Kolekcja Babil (10W, 15W) to cylindryczne oprawy aluminiowe w trzech wykończeniach: złotym, tytanowym, brązie anodowanym. Wyposażone w zintegrowany moduł LED oraz funkcję CCT SWITCH, pozwalają wybrać barwę światła – ciepłą lub neutralną. Minimalistyczny design i elegancja czynią je ponadczasowym elementem wnętrza.

LIGHT IN ITS PURE FORM

EN The Babil collection (10W, 15W) features cylindrical aluminium fixtures in four finishes: gold, titan and anodized bronze. With an integrated LED module and CCT SWITCH function, the light color can be selected – warm or neutral. Minimalist design and elegance make Babil a timeless addition to interiors.


BABIL CCT SWITCH

Platinum collection




Babil 10W CCT SWITCH

Color/Code	● AZ6552 gold/satin ● AZ6553 bronze/satin ● AZ7105 titan/satin
Material	aluminium
Finish	satin
Voltage	230V
Light source	1 x LED integrated, 10W
Kelvins	2940/4102K
Lumens	879lm
CRI [Ra]	≥ 90
Beam angle	36°
CCT	YES
Type of control	CCT SWITCH




Texture & Materials



Babil 15W CCT SWITCH

Color/Code	● AZ6555 gold ● AZ6556 bronze ● AZ7106 titan
Material	aluminium
Finish	satin
Voltage	230V
Light source	1 x LED integrated, 15W
Kelvins	2977/4039K
Lumens	1297lm
CRI [Ra]	≥ 90
Beam angle	36°
CCT	YES
Type of control	CCT SWITCH



Texture & Materials



Platinum collection
LIMAN CCT SWITCH



SUBTELNA GEOMETRIA

PL Seria Liman (6W, 10W) to aluminiowe tuby z eleganckim detalem szklanym, dostępne w anodowanym kolorze złotym. Zintegrowany LED oraz funkcja CCT SWITCH umożliwiają wybór barwy światła (cieplej lub neutralnej). Prosta forma i szlachetne wykończenie sprawiają, że Liman doskonale uzupełnia współczesne aranżacje.

SUBTLE GEOMETRY


EN The Liman series (6W, 10W) offers aluminium tubular fixtures with an elegant glass detail, available in anodized gold finishes. Featuring integrated LED and CCT SWITCH function, they allow choosing between warm and neutral light. Simple form and refined finish make Liman a perfect complement to modern interiors.

LIMAN CCT SWITCH

Platinum collection



Liman 6W CCT SWITCH
Color/Code ● AZ6549 gold
Material aluminium/glass
Finish satin
Voltage 230V
Light source 1 x LED integrated, 6W
Kelvins 2888/3978K
Lumens 723lm
CRI [Ra] ≥ 90
Beam angle 70°
CCT YES
Type of control CCT SWITCH




Texture & Materials



gold

Liman 10W CCT SWITCH
Color/Code ● AZ6551 gold
Material aluminium/glass
Finish satin
Voltage 230V
Light source 1 x LED integrated, 10W
Kelvins 2909/3959K
Lumens 1095lm
CRI [Ra] ≥ 90
Beam angle 70°
CCT YES
Type of control CCT SWITCH



Texture & Materials



gold



Platinum collection
ALTUN WALL



ŚWIATŁO POD KONTROLĄ

PL Altun Wall (3W) to kinkiet z regulowanym reflektorem i włącznikiem w obudowie. Dostępny w anodowanych kolorach brązowym, złotym i tytanowym, umożliwia tworzenie precyzyjnych akcentów świetlnych, łącząc praktyczność z wyrafinowanym stylem.

LIGHT UNDER CONTROL

EN Altun Wall (3W) is an aluminium wall lamp with an adjustable spotlight and an integrated switch. Available in anodized bronze, gold and titan finishes, it allows for precise accent lighting with a refined aesthetic.


ALTUN WALL

Platinum collection



Altun Wall

Color/Code ● AZ6561 bronze
● AZ6560 gold
● AZ7107 titan
Finish satin
Material aluminium
Voltage 230V
Light source 1 x LED integrated, 3W
Kelvins 3033K
Lumens 206lm
CRI [Ra] ≥ 90
Beam angle 36°



Texture & Materials



bronze gold titan





Platinum collection
MORONI WALL

ELEGANCKI MINIMALIZM


PL Moroni Wall (6W) to aluminiowa oprawa ścienna o prostej, szlachetnej formie. Dostępna w anodowanych wykończeniach złotym i tytanowym, wyposażona w zintegrowany moduł LED. Minimalistyczny design sprawia, że Moroni Wall jest subtelną i wyrafinowaną propozycją do nowoczesnych wnętrz.

MINIMALISM OF ELEGANCE



EN Moroni Wall (6W) is an aluminium wall fixture with a refined, simple design. Available in anodized gold and titan finishes, it comes with an integrated LED module. Its minimalist character makes Moroni Wall a subtle and sophisticated choice for contemporary interiors.



Moroni Wall	
Color/Code	● AZ7169 gold ● AZ7170 titan
Finish	satın
Material	aluminium
Voltage	230V
Light source	2 x LED integrated, 2 x 3W
Kelvins	3000K
Lumens	450lm
CRI [Ra]	≥ 90
Beam angle	36°



Texture & Materials





Platinum collection
ALEXANDRIA WALL

KLASYKA ŚWIATŁA

PL Alexandria Wall (8W) to kinkiet, w którym grube szkło rozprasza światło w stronę ściany, tworząc subtelny efekt akcentowy. Anodowane wykończenia w kolorze złotym i tytanowym podkreślają elegancki charakter oprawy, łączącej klasyczne piękno z nowoczesną technologią LED.

THE CLASSIC OF LIGHT


EN Alexandria Wall (8W) is a wall lamp where thick glass reflects light backwards, creating a subtle accent effect. With anodized gold and titan finishes, and an aluminium body with integrated LED, it unites timeless elegance with modern technology.

ALEXANDRIA WALL


Platinum collection



Alexandria Wall	
Color/Code	● AZ6559 gold ● AZ7171 titan
Material	aluminium/glass
Finish	satin
Voltage	230V
Light source	1 x LED integrated, 8W
Kelvins	2958K
Lumens	357lm
CRI [Ra]	≥ 90
Beam angle	360°



Texture & Materials



RESERVATIONS
TECHNOLOGICAL changes and limitations

*We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.*

Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.

*Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement
varier par rapport a celles du catalogue.*

*Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.*

*Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.*

*Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.*

*Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.*

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dansune teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

RESERVATIONS
TECHNOLOGICAL changes and limitations

*2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.*

A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).

*The warranty is counted from the day of purchase, confirmed by a bill or an invoice.
2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni*

*Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diods). La durée de la garantie
est dès le jour d'achat confirmé par un ticket de caisse ou une facture.*

*2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.*

*2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.*

*Ra (CRI) – Colour Rendering Index EU standard – Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100*

*Ra (CRI) – wskaźnik oddawania barw Standard UE – Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100*

*Ra (CRI)– Index podania farieb Štandard EU – Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100*

*Ra (CRI)– Index podání barev Standard EU – Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100*