


AZzardo®



New collection











2025/2026




AZzardo

new collection
2025/2026

AZZARDO.COM

pictorial
list


pictorial list																													
										I LINE TRACK	202	AGORA	133																
																													
ALEXANDRIA	151	ALFA TRACK MAGNETIC										205	AMORO	143	ANCONA	165	ANDORA	79	APUS	111									
																													
ARTE	107	ARTEMIS										7	ASTRID	53	AZALEA	37	BABIL	153	BARLETTA	11									
																													
BETA TRACK MAGNETIC										229	BUBBLES	127	BURANO	19	CAMELIA	33	CASTOR	141	CAVALIO IP65	179									
																													
CUBIC IP54	197	DECORATIVE STONE										102	DELTA TRACK SUPER SLIM										257	DEMETER	9	DISC	89	DRAGONFLY	69
																													
DURANTE IP54	195	EAGLE										93	EBRO IP65	173	ECLIPSE	99	ELMO IP44	167	EUFORIA	83									
																													
EXO	147	FADA										113	FARO	145	FIGARO IP54	187	FLOW	41	FRAME IP65	175									
																													
FUEGO IP65	183	GAMBINO IP65										199	GUSTO IP54	191	HESTIA	5	IVY	59	KRYPTON	97									

	LANTERN IP54	185		LARA	144		LAYLA	103		LENNART IP54	193		LIMAN	152		MANTA	67
	MARTON IP44	161		MEADOW	75		MEDUSA	71		MEMPHIS	47		MIRABELLA	105		MIRT IP65	157
	MIZUKI	46		MOLLY	137		MOONS	98		MORTEN IP54	196		NAZAR	77		ONTARIO	135
	OPLO IP54	189		ORION	117		OUTDOOR PLUG IP54	188		PALOS	115		PAMELA	101		PANDINO IP44	163
	PANDORA IP44	170		PELLE	49		PERLA	123		PESCARA	57		POND	51		PORTOFINO	1
	PRONTO IP44	169		PUMA	3		PUR	151		RIBANA	31		RICO	139		RIPPLE	91
	SATURN	95		SERENITY	121		SHIRO	45		SPARK	25		TRACK IP65	281		TROST	146
	VALIRA	18		VILAGIO IP65	181		VIRGO	53		ZAMBEZI	23		ZIGZAG	55		ZOE	119

PORTOFINO 80 3-STEP DIMM




Portofino 80 3-Step DIMM
AZ6661



Portofino 80 3-Step DIMM


Code/Color	o AZ6661 white/ black
Finish	matte / matte
Material	aluminium
Light source	1 x LED integrated
Power	39W
Lumens	1300lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



Oriol Llahona, Barcelona

He studied Industrial Design at Elisava Universitat Pompeu Fabra Barcelona, Universität Essen, University Southampton and Graduated in 1999 and Postgraduated in 2004. Internship at Franc FernándezArquitecte where he learned to extract the essence and the soul of things. His works have been shown at Milan, Frankfurt and Tokyo..

This is a lamp with extremely simple design but harmonious and beautiful lines. Soft light and good environmental lighting effect.
The design of three sizes enables her to adapt to all kinds of spaces from home to engineering, and can bring a sense of harmonious personality to the space.



„Design thinking can be applied to any product or service. Based in our experience, we focus on next areas to provide meaningful designs.“

Oriol Llahona

PUMA




Puma Red
AZ6785



Puma Bk
AZ6786

Puma
Code/Color ● AZ6785 red / white
 ● AZ6786 black / white
Finish matte / matte
Material FRP / glass
Light source 1 x E27 only LED




HESTIA BK



Hestia Bk
AZ6787

Hestia Bk
Code/Color
Finish
Material
Light source

- AZ6787 black / white
matt / matt
FRP / aluminium / glass
1 x E27 only LED




ARTEMIS BK

Artemis Bk
AZ6783



Artemis Bk
Code/Color
Finish
Material
Light source

- AZ6783 black / white
matt / matt
FRP / aluminium / glass
1 x E27 only LED




DEMETER GO




Demeter Go
AZ6784

Demeter Go
Code/Color ● AZ6784 gold / white
Finish shiny / matt
Material FRP / aluminium / glass
Light source 1 x E27 only LED




BARLETTA 60 TOP & PENDANT 3-STEP DIMM





Barletta 60 Top 3-Step DIMM Go
AZ6902

Barletta 60 Top 3-Step DIMM Go	
Code/Color	● AZ6902 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



Barletta 60 Pendant 3-Step DIMM Go
AZ6901

Barletta 60 Pendant 3-Step DIMM Go	
Code/Color	● AZ6901 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




BARLETTA 80 TOP & PENDANT 3-STEP DIMM





Barletta 80 Top 3-Step DIMM Go
AZ6903

Barletta 80 Top 3-Step DIMM Go	
Code/Color	● AZ6903 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	90W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



Barletta 80 Pendant 3-Step DIMM Go
AZ6900

Barletta 80 Pendant 3-Step DIMM Go	
Code/Color	● AZ6900 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	90W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



BARLETTA 60+100 PENDANT 3-STEP DIMM




Barletta 60+100 Pendant 3-Step DIMM Go
AZ6904

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light

- Barletta 60+100 Pendant 3-Step DIMM Go
- AZ6904 rose gold / clear
 - shiny / shiny
 - aluminium / crystal
 - 2 x LED integrated
 - 180W
 - lm
 - 3000K
 - yes
 - 3-STEP DIMMER



BARLETTA 120 OVAL 3-STEP DIMM GO




Barletta 120 Oval 3-Step DIMM Go
AZ6905

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

Barletta 120 Oval 3-Step DIMM Go

Code/Color	● AZ6905 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	120W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




BARLETTA WALL GO



Barletta Wall Go
AZ6906

Barletta Wall Go	
Code/Color	● AZ6906 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	18W
Kelvins	3000K




VALIRA WALL RGO



Valira Wall Rgo
AZ6912

Valira Wall Rgo	
Code/Color	● AZ6912 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	20W
Kelvins	3000K




BURANO 40 TOP CH



Burano 40 Top Ch
AZ6911

Burano 40 Top Ch
Code/Color
Finish
Material
Light source

- AZ6911 chrome / clear
- shiny / shiny
- aluminium / crystal
- 5 x E14 only LED




BURANO 60 PENDANT & TOP CH



Burano 60 Pendant Ch
AZ6908

Burano 60 Pendant Ch
Code/Color
Finish
Material
Light source


- AZ6908 chrome / clear
- shiny / shiny
- aluminium / crystal
- 11 x E14 only LED



Burano 60 Top Ch
AZ6910

Burano 60 Top Ch
Code/Color
Finish
Material
Light source

- AZ6910 chrome / clear
- shiny / shiny
- aluminium / crystal
- 11 x E14 only LED



BURANO 100 PENDANT CH



Burano 100 Pendant Ch
AZ6907





BURANO 100 TOP CH
AZ6909

Burano 100 Pendant Ch

Code/Color	● AZ6907 chrome / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	28 x E14 only LED

Burano 100 Top Ch

Code/Color	● AZ6909 chrome / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	28 x E14 only LED




ZAMBEZI 120 PENDANT GO



Zambezi 120 Pendant Go
AZ6913

Zambezi 120 Pendant Go

Code/Color	● AZ6913 rose gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	18 x E14 only LED



SPARK OVAL PENDANT 120 CCT DIMM + REMOTE CONTROL



Spark Oval Pendant 120 CCT DIMM Go + Remote Control
AZ6711




Spark Oval Pendant 120 CCT DIMM Ch + Remote Control
AZ6710



Remote Control

Spark Oval Pendant 120 CCT DIMM + Remote Control

Code/Color	- AZ6710 chrome / clear - AZ6711 gold / clear
Finish	shiny / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	71W
Kelvins	3000 - 6000K
Dimmable	yes
CCT	yes
Remonte Control	yes
Type of control	REMOTE CONTROL



SPARK WAVES PENDANT CCT DIMM + REMOTE CONTROL



Spark Waves Pendant 120 CCT DIMM Go + Remote Control
AZ6563







Remote Control



Spark Waves Pendant 120 CCT DIMM Ch + Remote Control
AZ6562

Spark Waves Pendant 120 Cct DIMM Ch + Remote Control	
Code/Color	● AZ6562 chrome / clear
Code/Color	● AZ6563 gold / clear
Finish	shiny / shiny
Material	aluminium / glass
Light source	2 x LED integrated
Power	68W
Lumens	4465lm
Kelvins	3000 - 4000K
Dimmable	yes
CCT	yes
Remonte Control	yes
Type of control	REMOTE CONTROL


Spark Waves Pendant 150 CCT DIMM + Remote Control	
Code/Color	● AZ6564 chrome / clear
Code/Color	● AZ6565 gold / clear
Finish	shiny / shiny
Material	aluminium / glass
Light source	2 x LED integrated
Power	97W
Lumens	5738lm
Kelvins	3000 - 4000K
Dimmable	yes
CCT	yes
Remonte Control	yes
Type of control	REMOTE CONTROL



SPARK SPIRAL XXL CCT SWITCH DIMM




Spark Spiral XXL CCT Switch DIMM Go
AZ6898



Spark Spiral XXL CCT Switch DIMM Ch
AZ6897

- Spark Spiral XXL CCT Switch DIMM Ch
- | | |
|-----------------|--------------------------|
| Code/Color | ● AZ6897 chrome / clear |
| Code/Color | ● AZ6898 gold / clear |
| Finish | shiny / shiny |
| Material | aluminium / crystal |
| Light source | 2 x LED integrated |
| Power | 280W |
| Kelvins | 3000 / 3500 / 4000K |
| Dimmable | yes |
| CCT | yes |
| Type of control | CCT SWITCH, TRIAC DIMMER |



RIBANA 3-STEP DIMM BK



RIBANA 3-STEP DIMM BK
AZ6780




3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

Ribana 3-Step DIMM Bk

- AZ6780 black
- Finish matt
- Material aluminium / silicone
- Light source 2 x LED integrated
- Power 167W
- Lumens 7352lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER




CAMELIA 60 3-STEP DIMM GO



Camelia 60 3-Step DIMM Go
AZ6770

- Camelia 60 3-Step DIMM Go**
- | | |
|-----------------|----------------------------|
| Code/Color | ● AZ6770 rose gold / clear |
| Finish | brushed / shiny |
| Material | aluminium / crystal |
| Light source | 1 x LED integrated |
| Power | 41W |
| Lumens | 1739lm |
| Kelvins | 2968K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |





3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

CAMELIA 100 OVAL 3-STEP DIMM GO



CAMELIA 100 OVAL 3-STEP DIMM Go
AZ6771

- Camelia 100 Oval 3-Step DIMM Go**
- | | |
|-----------------|----------------------------|
| Code/Color | ● AZ6771 rose gold / clear |
| Finish | brushed / shiny |
| Material | aluminium / crystal |
| Light source | 1 x LED integrated |
| Power | 60W |
| Lumens | 2400lm |
| Kelvins | 2934K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |



3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light


CAMELIA 40+60+80 3-STEP DIMM GO




CAMELIA 40+60+80 3-STEP DIMM Go
AZ6769

- Camelia 40+60+80 3-Step DIMM Go
- | | |
|-----------------|----------------------------|
| Code/Color | ● AZ6769 rose gold / clear |
| Finish | brushed / shiny |
| Material | aluminium / crystal |
| Light source | 3 x LED integrated |
| Power | 118W |
| Lumens | 4867lm |
| Kelvins | 2931K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light




AZALEA 60 3-STEP DIMM BK




Azalea 60 3-Step DIMM Bk
AZ6772

3-STEP DIMM SYSTEM




Azalea 60 3-Step DIMM Bk

Code/Color	● AZ6772 black / clear
Finish	brushed / shiny
Material	aluminium / crystal
Light source	1 x LED integrated
Power	30W
Lumens	1480lm
Kelvins	2936K
Dimmable	yes
Type of control	3-STEP DIMMER




AZALEA 60+40 3-STEP DIMM BK




Azalea 60+40 3-Step DIMM Bk
AZ6773

3-STEP DIMM SYSTEM



Azalea 60+40 3-Step DIMM Bk

Code/Color	● AZ6773 black / clear
Finish	brushed / shiny
Material	aluminium / crystal
Light source	2 x LED integrated
Power	41W
Lumens	1967lm
Kelvins	2906K
Dimmable	yes
Type of control	3-STEP DIMMER




AZALEA SPIRAL BK



Azalea Spiral Bk

Code/Color	● AZ6774 black / clear
Finish	brushed / shiny
Material	aluminium / crystal
Light source	8 x LED integrated
Power	238W
Lumens	12027lm
Kelvins	2983K



FLOW 41 PENDANT 3-STEP DIMM 3000K






Flow 41 Pendant 3-Step DIMM 3000K Bk
AZ6819



Flow 41 Pendant 3-Step DIMM 3000K Go
AZ6818

- Flow 41 Pendant 3-Step DIMM 3000K**
- | | |
|-----------------|---------------------------------|
| Code/Color | ● AZ6818 gold
● AZ6819 black |
| Finish | shiny |
| Material | aluminium / PVC |
| Light source | 41 x LED integrated |
| Power | 324W |
| Kelvins | 3000K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |





FLOW 13 PENDANT 3-STEP DIMM 3000K



Flow 13 Pendant 3-Step DIMM 3000K Bk
AZ6817





Flow 13 Pendant 3-Step DIMM 3000K Go
AZ6816

Flow 13 Pendant 3-Step DIMM 3000K

Code/Color	● AZ6816 gold
Code/Color	● AZ6817 black
Finish	shiny
Material	aluminium / PVC
Light source	13 x LED integrated
Power	108W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light



SHIRO WALL




Shiro Wall Bk
AZ6823



Shiro Wall Go
AZ6822

Shiro Wall	
Code/Color	- AZ6822 gold - AZ6823 black
Finish	gold / shiny, black / matt
Material	aluminium / silicone
Light source	2 x LED integrated
Power	16W
Lumens	390lm
Kelvins	2800K



MIZUKI WALL




Mizuki Wall Go
AZ6824




Mizuki Wall Bk
AZ6825

Mizuki Wall	
Code/Color	- AZ6824 gold - AZ6825 black
Finish	gold / shiny, black / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	20W
Lumens	438lm
Kelvins	2770K



MEMPHIS PENDANT 3-STEP DIMM






Memphis Pendant 3-Step DIMM Bk
AZ6815




Memphis Pendant 3-Step DIMM Go
AZ6814

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

- Memphis Pendant 3-Step DIMM**
- | | |
|-----------------|--|
| Code/Color | <ul style="list-style-type: none">AZ6814 goldAZ6815 black |
| Finish | gold / shiny, black / matt |
| Material | aluminium / silicone |
| Light source | 2 x LED integrated |
| Power | 55W |
| Lumens | 2580lm |
| Kelvins | 2800K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |



PELLE 3-STEP DIMM



Pelle 3-Step DIMM Bk
AZ5756




Pelle 3-Step DIMM Go
AZ5656

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light

Pelle 3-Step DIMM

Code/Color	● AZ5756 black ● AZ5757 gold
Finish	matt
Material	aluminium
Light source	2 x LED integrated
Power	32W
Lumens	2400lm
Kelvins	3000K



POND 120 PENDANT 3-STEP DIMM CHAMPAGNE & POND 40 WALL CHAMPAGNE




Pond 120 Pendant 3-Step DIMM Champagne
AZ6782




Pond 40 Wall Champagne
AZ6781

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light


Pond 120 Pendant 3-Step DIMM Champagne	
Code/Color	● AZ6782 champagne / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	58W
Lumens	3742lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



Pond 40 Wall Champagne	
Code/Color	● AZ6781 champagne / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	12W
Lumens	887lm
Kelvins	3000K



VIRGO PENDANT 120 3-STEP DIMM BK & VIRGO FLOOR DIMM BK



Virgo Pendant 120 3-Step DIMM Bk
AZ7151

Virgo Floor DIMM Bk
AZ7153


3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

Virgo Pendant 120 3-Step DIMM Bk

Code/Color	● AZ7151 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	28W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER

Virgo Floor DIMM Bk

Code/Color	● AZ7153 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Kelvins	3000K
Dimmable	yes
Type of control	FOOT DIMMER




VIRGO PENDANT 150 3-STEP DIMM BK



Virgo Pendant 150 3-Step DIMM Bk

Code/Color	● AZ7152 black
Finish	matt
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




ZIGZAG GO



Zigzag Go
AZ6528

- Zigzag Go**
- Code/Color: ● AZ6528 brass
 - Finish: brushed
 - Material: aluminium / silicone
 - Light source: 1 x LED integrated
 - Power: 42W
 - Lumens: 2618lm
 - Kelvins: 2850K
 - Dimmable: yes
 - Type of control: 3-STEP DIMMER



3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light



PESCARA PENDANT 120 3-STEP DIMM BK & PESCARA WALL BK



Pescara Pendant 120 3-Step DIMM Bk
AZ6745



Pescara Wall Bk
AZ6747

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light

Pescara Pendant 120 3-Step DIMM Bk	
Code/Color	● AZ6745 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	25W
Lumens	2000lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER


Pescara Wall Bk	
Code/Color	● AZ6747 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	10W
Lumens	800lm
Kelvins	3000K



PESCARA PENDANT 150 3-STEP DIMM BK



Pescara Pendant 150 3-Step DIMM Bk	
Code/Color	● AZ6746 black / white
Finish	matt / matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	33W
Lumens	2640lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




IVY FLOOR DIMM BK & IVY WALL BK

Ivy Floor DIMM Bk
AZ6749



Ivy Floor DIMM Bk


Code/Color	● AZ6749 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	24W
Lumens	1920lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



Ivy Wall Bk
AZ6748

Ivy Wall Bk

Code/Color	● AZ6748 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	10W
Lumens	800lm
Kelvins	3000K




IVY 3m 3-STEP DIMM BK



IVY 3m 3-STEP DIMM Bk
AZ6751

IVY 3m 3-STEP DIMM BK

Code/Color	o AZ6751 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	33W
Lumens	2640lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER





IVY 5m 3-STEP DIMM BK




IVY 5m 3-STEP DIMM Bk
AZ6750

IVY 5m 3-STEP DIMM BK

Code/Color	o AZ6750 black / white
Finish	matt / matt
Material	aluminium / fabric
Light source	1 x LED integrated
Power	55W
Lumens	4400lm
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



ASTRID 1 PENDANT BK & ASTRID FLOOR DIMM BK





Astrid 1 Pendant Bk
AZ7196



Astrid Floor DIMM Bk
AZ6893

Astrid 1 Pendant Bk	
Code/Color	● AZ7196 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	1 x LED integrated
Power	6W
Kelvins	3000K

Astrid Floor DIMM Bk	
Code/Color	● AZ6893 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	3 x LED integrated
Power	24W
Kelvins	3000K
Dimmable	yes
Type of control	FOOT DIMMER




ASTRID 4 PENDANT DIMM BK



Astrid 4 Pendant DIMM Bk
AZ6892

Astrid 4 Pendant DIMM Bk	
Code/Color	● AZ6892 black / clear
Finish	matt / shiny
Material	aluminium / glass
Light source	4 x LED integrated
Power	34W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




MANTA 120 PENDANT 3000K BK



Manta 120 Pendant 3000K Bk
AZ6794


- Manta 120 Pendant 3000K Bk
- | | |
|--------------|------------------------|
| Code/Color | ● AZ6794 black / clear |
| Finish | matt / shiny |
| Material | aluminium / acrylic |
| Light source | 1 x LED integrated |
| Power | 38W |
| Lumens | 212lm |
| Kelvins | 3000K |



MANTA WALL 3000K BK



- Manta Wall 3000K Bk
- | | |
|--------------|------------------------|
| Code/Color | ● AZ6795 black / clear |
| Finish | matt / shiny |
| Material | aluminium / acrylic |
| Light source | 1 x LED integrated |
| Power | 8W |
| Lumens | 75lm |
| Kelvins | 3000K |





DRAGONFLY PENDANT 3000K BK




Dragonfly Pendant 3000K Bk

Code/Color	● AZ6791 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Lumens	2360lm
Kelvins	3100K




DRAGONFLY TOP 3000K BK




Dragonfly Top 3000K Bk

Code/Color	● AZ6792 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	35W
Lumens	2200lm
Kelvins	3100K




MEDUSA 50 PENDANT 3000K BK



Medusa 50 Pendant 3000K Bk
AZ6788


Medusa 50 Pendant 3000K Bk	
Code/Color	● AZ6788 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2200lm
Kelvins	3100K



MEDUSA 50 TOP 3000K BK



Medusa 50 Top 3000K Bk	
Code/Color	● AZ6790 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2200lm
Kelvins	3100K





MEDUSA 70 PENDANT 3000K BK




Medusa 70 Pendant 3000K BK


Code/Color	● AZ6789 black / clear
Finish	matt / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	30W
Lumens	2170lm
Kelvins	3100K



MEADOW 3-STEP DIMM GO



Meadow 4 3-Step DIMM Go
AZ6775




Meadow 6 3-Step DIMM Go
AZ6776

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light




Meadow 4 3-Step DIMM Go

Code/Color	● AZ6775 gold / clear
Finish	brushed / shiny
Material	aluminium / PVC
Light source	4 x LED integrated
Power	17W
Lumens	1028lm
Kelvins	2961K
Dimmable	yes
Type of control	3-STEP DIMMER



Meadow 6 3-Step DIMM Go

Code/Color	● AZ6776 gold / clear
Finish	brushed / shiny
Material	aluminium / PVC
Light source	6 x LED integrated
Power	24W
Lumens	1472lm
Kelvins	2942K
Dimmable	yes
Type of control	3-STEP DIMMER



NAZAR PENDANT 5 3-STEP DIMM & NAZAR WALL



Nazar Pendant 5 3-Step DIMM
AZ6531



Nazar Wall 20
AZ6529





Nazar Wall 30
AZ6530

Nazar Pendant 5 3-Step DIMM

Code/Color	● AZ6531 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	10 x LED integrated
Power	56W
Lumens	998lm
Kelvins	3100K
Dimmable	yes
Type of control	3-STEP DIMMER


Nazar Wall 20

Code/Color	● AZ6529 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	1 x LED integrated
Power	11W
Lumens	120lm
Kelvins	2849K




Nazar Wall 30


Code/Color	● AZ6530 amber / brass
Finish	shiny / brushed
Material	glass / aluminium
Light source	1 x LED integrated
Power	11W
Lumens	158lm
Kelvins	3191K



ANDORA L PENDANT 1




Andora L Pendant 1 Amber
AZ6882



Andora L Pendant 1 Smoky
AZ6883

Andora L Pendant 1

Code/Color	- AZ6882 amber / brass - AZ6883 smoky / black
Finish	shiny / satin
Material	glass / aluminium
Light source	1 x LED integrated
Power	12W
Kelvins	3000K



ANDORA PENDANT 3 LINE 3-STEP DIMM




Andora Pendant 3 Line 3-Step DIMM Amber
AZ6884



Andora Pendant 3 Line 3-Step DIMM Smoky
AZ6885

Andora Pendant 3 Line 3-Step DIMM

Code/Color	- AZ6884 amber / brass - AZ6885 smoky / black
Finish	shiny / satin
Material	glass / aluminium
Light source	3 x LED integrated
Power	27W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light



ANDORA PENDANT 5 3-STEP DIMM



Andora Pendant 5 3-Step DIMM Amber
AZ6886




Andora Pendant 5 3-Step DIMM Smoky
AZ6887

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

Andora Pendant 5 3-Step DIMM

Code/Color	● AZ6886 amber / brass ● AZ6887 smoky / black
Finish	shiny / satin
Material	glass / aluminium
Light source	5 x LED integrated
Power	44W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER



ANDORA WALL




Andora L Wall Amber
AZ6889



Andora M Wall Smoky
AZ6890


Andora M Wall

Code/Color	● AZ6888 amber / brass ● AZ6890 smoky / black
Finish	shiny / satin
Material	glass / aluminium
Light source	1 x LED integrated
Power	8W
Kelvins	3000K



Andora L Wall


Code/Color	● AZ6889 amber / brass ● AZ6891 smoky / black
Finish	shiny / satin
Material	glass / aluminium
Light source	1 x LED integrated
Power	12W
Kelvins	3000K



EUFORIA PENDANT 1




Euforia 13 Pendant 1 Go
AZ6734



Euforia 16 Pendant 1 Ch
AZ6796

Euforia 13 Pendant 1

Code/Color	● AZ6734 gold / clear ● AZ6797 chrome / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K



Euforia 16 Pendant 1

Code/Color	● AZ6735 gold / clear ● AZ6796 chrome / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K



EUFORIA PENDANT 2 GO & EUFORIA WALL 1 GO




Euforia Pendant 2 Go
AZ6736



Euforia Wall 1 Go
AZ6741


Euforia Wall 1 Go

Code/Color	● AZ6741 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	1 x LED integrated
Power	6W
Kelvins	3000K



Euforia Pendant 2 Go

Code/Color	● AZ6736 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	2 x LED integrated
Power	12W
Lumens	900lm
Kelvins	3000K




EUFORIA PENDANT LINE 5 3-STEP DIMM GO



Euforia Pendant Line 5 3-Step DIMM Go
AZ6737

- Euforia Pendant Line 5 3-Step DIMM Go
- Code/Color ● AZ6737 gold / clear
 - Finish shiny / shiny
 - Material aluminium / acrylic
 - Light source 5 x LED integrated
 - Power 30W
 - Kelvins 3000K
 - Dimmable yes
 - Type of control 3-STEP DIMMER





EUFORIA PENDANT ROUND 5 3-STEP DIMM GO




Euforia Pendant Round 5 3-Step DIMM Go
AZ6738

- Euforia Pendant Round 5 3-Step DIMM Go
- Code/Color ● AZ6738 gold / clear
 - Finish shiny / shiny
 - Material aluminium / acrylic
 - Light source 5 x LED integrated
 - Power 30W
 - Kelvins 3000K
 - Dimmable yes
 - Type of control 3-STEP DIMMER




EUFORIA PENDANT ROUND 10 3-STEP DIMM GO

Euforia Pendant Round 10 3-Step DIMM Go
AZ6739




Euforia Pendant Round 10 3-Step DIMM Go

Code/Color	● AZ6739 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	10 x LED integrated
Power	52W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




EUFORIA PENDANT ROUND 19 3-STEP DIMM GO

Euforia Pendant Round 19 3-Step DIMM Go
AZ6740




Euforia Pendant Round 19 3-Step DIMM Go


Code/Color	● AZ6740 gold / clear
Finish	shiny / shiny
Material	aluminium / acrylic
Light source	19 x LED integrated
Power	105W
Kelvins	3000K
Dimmable	yes
Type of control	3-STEP DIMMER




DISC PENDANT 35



Disc Pendant 35 Beige
AZ6742







Disc Pendant 35 Bk
AZ6578



Disc Pendant 35 Auburn
AZ6743

Disc Pendant 35	
Code/Color	● AZ6578 black ● AZ6742 beige ● AZ6743 auburn
Finish	matt
Material	aluminium
Light source	1 x LED integrated
Power	12W
Lumens	1190lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER





RIPPLE WALL




Ripple Wall 40 Beige
AZ6579



Ripple Wall 50 Auburn
AZ6582


Ripple Wall 40

Code/Color	- AZ6579 beige / black - AZ6580 auburn / black
Finish	matt / matt
Material	aluminium / aluminium
Light source	1 x LED integrated
Power	6W
Lumens	108lm
Kelvins	2740K



Ripple Wall 50

Code/Color	- AZ6581 beige / black - AZ6582 auburn / black
Finish	matt / matt
Material	aluminium / aluminium
Light source	1 x LED integrated
Power	6W
Lumens	108lm
Kelvins	2675K



EAGLE WALL



Eagle Wall Bk
AZ6575




Eagle Wall Coffee
AZ6576



Eagle Wall Beige
AZ6577

Eagle Wall	
Code/Color	● AZ6575 black / black ● AZ6576 brown / black ● AZ6577 beige / black
Finish	matt / matt
Material	felt / aluminium
Light source	1x LED integrated
Power	6W
Lumens	18lm
Kelvins	2985K





SATURN WALL 3000K




Saturn 52 Wall 3000K
AZ6662

Saturn 72 Wall 3000K
AZ6663


Saturn 52 Wall 3000K

Code/Color	● AZ6662 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	20W
Lumens	148lm
Kelvins	2850K



Saturn 72 Wall 3000K

Code/Color	● AZ6663 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	29W
Lumens	276lm
Kelvins	3000K



KRYPTON PENDANT 60 3-STEP CCT & KRYPTON TOP 60 3-STEP CCT




Krypton Top 60 3-Step CCT
AZ6665



Krypton Pendant 60 3-Step CCT
AZ6664


Krypton Pendant 60 3-Step CCT

Code/Color	● AZ6664 black / brown
Finish	matt / stone
Material	aluminium / gypsum / PVC
Light source	1 x LED integrated
Power	37W
Lumens	1200lm
Kelvins	2930 / 6100K
CCT	yes
Type of control	3-STEP CCT



Krypton Top 60 3-Step CCT

Code/Color	● AZ6665 black / brown
Finish	matt / stone
Material	aluminium / gypsum / PVC
Light source	1 x LED integrated
Power	37W
Lumens	1200lm
Kelvins	2930 / 6100K
CCT	yes
Type of control	3-STEP CCT




MOONS 3-STEP CCT WALL



Moons 3-Step CCT Wall
AZ6666

Moons 3-Step CCT Wall


Code/Color	● AZ6666 brown / black
Finish	stone / matt
Material	stone / aluminium / silicone
Light source	2 x LED integrated
Power	31W
Lumens	193lm
Kelvins	2800 / 4000 / 5490K
CCT	yes
Type of control	3-STEP CCT



ECLIPSE WALL 3000K




Eclipse Wall 10W 3000K
AZ6667



Eclipse Wall 14W 3000K
AZ6668



Eclipse Wall 10W 3000K

Code/Color	● AZ6667 beige / black
Finish	stone / matt
Material	travertine / aluminium
Light source	2 x LED integrated
Power	9W
Lumens	232lm
Kelvins	2906K



Eclipse Wall 14W 3000K

Code/Color	● AZ6668 beige / black
Finish	stone / matt
Material	travertine / aluminium
Light source	2 x LED integrated
Power	13,5W
Lumens	291lm
Kelvins	2867K




PAMELA 27 TABLE SMOKY




Pamela 27 Table Smoky

Code/Color	● AZ6899 smoky / black
Finish	shiny / matt
Material	aluminium / glass
Light source	1 x LED integrated
Power	9W
Lumens	960lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



DECORATIVE STONE FOR PENDANT LAMP

Optional natural stone decorative element for Azzardo pendants.



Decorative Stone For Pendant Lamp D60	
Code/Color	● AZ6671 beige
Finish	matt
Material	stone

Decorative Stone For Pendant Lamp D80	
Code/Color	● AZ6670 beige
Finish	matt
Material	stone

Decorative Stone For Pendant Lamp D100	
Code/Color	● AZ6669 beige
Finish	matt
Material	stone



Decorative Stone For Pendant Lamp D60
AZ6671

Decorative Stone For Pendant Lamp D80
AZ6670


Decorative Stone For Pendant Lamp D100
AZ6669

LAYLA 120 3000K DIMM



Layla 120 3000K DIMM Wh
AZ6754



Layla 120 3000K DIMM Bk
AZ6755



Layla 120 3000K DIMM Beige
AZ6756

Layla 120 3000K DIMM

Code/Color	○ AZ6754 white ● AZ6755 black ● AZ6756 beige
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	50W
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




LAYLA 150 3000K DIMM



Layla 150 3000K DIMM

Code/Color	○ AZ6757 white ● AZ6758 black ● AZ6759 beige
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	60W
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER



MIRABELLA 90 3000K DIMM





Mirabella 90 3000K DIMM WH
AZ6752



Mirabella 90 3000K DIMM Bk
AZ6744

Mirabella 90 3000K DIMM

Code/Color	● AZ6744 black ○ AZ6752 white
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	48W
Lumens	3840lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




MIRABELLA 120 3000K DIMM WH




Mirabella 120 3000K DIMM Wh

Code/Color	○ AZ6753 white
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	60W
Lumens	4800lm
Kelvins	3000K
Dimmable	yes
Type of control	TRIAC DIMMER




ARTE WALL 25W CCT SWITCH BK



Arte Wall 25W CCT Switch Bk
AZ7009

Arte Wall 25W CCT Switch Bk	
Code/Color	● AZ7009 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	25W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER




ARTE TOP 15W+15W CCT SWITCH BK



Arte Top 15W+15W CCT Switch Bk
AZ7010

Arte Top 15W+15W CCT Switch Bk	
Code/Color	● AZ7010 black
Finish	matt
Material	aluminium / silicone
Light source	2 x LED integrated
Power	30W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER





Up & Down light



ARTE TOP 25W+25W CCT SWITCH BK



Arte Top 25W+25W CCT Switch Bk	
Code/Color	● AZ7011 black
Finish	matt
Material	aluminium / silicone
Light source	2 x LED integrated
Power	50W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT SWITCH, TRIAC DIMMER




APUS 80 BK



APUS 80 BK
AZ6532

- Apus 80 Bk
- | | |
|--------------|---------------------|
| Code/Color | ● AZ6532 black |
| Finish | matt |
| Material | aluminium / PVC |
| Light source | 10 x LED integrated |
| Power | 41W |
| Lumens | 3174lm |
| Kelvins | 3100K |






FADA 120 BK



Fada 120 Bk	
Code/Color	● AZ6533 black
Finish	matt
Material	aluminium / PVC
Light source	8 x LED integrated
Power	34W
Lumens	761lm
Kelvins	3126K




PALOS 3 3-STEP DIMM BK




Palos 3 3-Step DIMM BK


- Code/Color ● AZ6777 black / clear
- Finish brushed / shiny
- Material aluminium / glass
- Light source 3 x LED integrated
- Power 29W
- Lumens 1543lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER



PALOS 6 3-STEP DIMM BK




Palos 6 3-Step DIMM Bk
AZ6778



Palos 6 3-Step DIMM Bk

- Code/Color ● AZ6778 black / clear
- Finish brushed / shiny
- Material aluminium / glass
- Light source 6 x LED integrated
- Power 57W
- Lumens 3035lm
- Kelvins 3000K
- Dimmable yes
- Type of control 3-STEP DIMMER







ORION BK



- Orion Bk
- | | |
|--------------|------------------------|
| Code/Color | ● AZ6535 black / white |
| Finish | matt / matt |
| Material | aluminium / PVC |
| Light source | 3 x LED integrated |
| Power | 32W |
| Lumens | 1500lm |
| Kelvins | 3000K |



ZOE 60 3-STEP DIMM BK




Zoe 60 3-Step DIMM Bk
AZ6779

3-STEP DIMM SYSTEM

1st click	2nd click	3rd click
100% light	50% light	25% light

Zoe 60 3-Step DIMM Bk


Code/Color	● AZ6779 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	41W
Lumens	1823lm
Kelvins	2944K
Dimmable	yes
Type of control	3-STEP DIMMER






Serenity 12 BK

Serenity 12 Bk
AZ6534



Adjustable shade position

- Serenity 12 Bk
- | | |
|--------------|------------------------|
| Code/Color | ● AZ6534 black / white |
| Finish | matt / matt |
| Material | aluminium / glass |
| Light source | 12 x LED integrated |
| Power | 84W |
| Lumens | 3200lm |
| Kelvins | 3000K |




PERLA PENDANT 40 3-STEP DIMM BK




Perla Pendant 40 3-Step DIMM Bk
AZ6894

3-STEP DIMM SYSTEM



- Perla Pendant 40 3-Step DIMM Bk**
- | | |
|-----------------|------------------------|
| Code/Color | ● AZ6894 black / white |
| Finish | matt / matt |
| Material | aluminium / glass |
| Light source | 9 x LED integrated |
| Power | 19W |
| Lumens | 1520lm |
| Kelvins | 3000K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |




PERLA PENDANT 60 3-STEP DIMM BK




Perla Pendant 60 3-Step DIMM Bk
AZ6895

3-STEP DIMM SYSTEM



- Perla Pendant 60 3-Step DIMM Bk**
- | | |
|-----------------|------------------------|
| Code/Color | ● AZ6895 black / white |
| Finish | matt / matt |
| Material | aluminium / glass |
| Light source | 15 x LED integrated |
| Power | 30W |
| Lumens | 2400lm |
| Kelvins | 3000K |
| Dimmable | yes |
| Type of control | 3-STEP DIMMER |





PERLA PENDANT LINE 3-STEP DIMM BK



Perla Pendant Line 3-Step DIMM Bk
AZ6896

3-STEP DIMM SYSTEM		
1st click	2nd click	3rd click
100% light	50% light	25% light

- Perla Pendant Line 3-Step DIMM Bk**
- AZ6896 black / white
 - matt / matt
 - aluminium / glass
 - 15 x LED integrated
 - 26W
 - 2080lm
 - 3000K
 - yes
 - 3-STEP DIMMER




BUBBLES

Bubbles
lampbody

Bubbles
shades

Bubbles
lampbody + shade



- Bubbles
lampbody 1
- black | AZ5918
 - gold | AZ5954
 - white | AZ5953

Bubbles
glass shade white

ø 12cm	AZ6732
ø 15cm	AZ6731
ø 18cm	AZ6733

Bubbles
glass shade clear


ø 12cm	AZ5955
ø 15cm	AZ5884
ø 18cm	AZ5958

Bubbles
glass shade amber

ø 12cm	AZ6451
ø 15cm	AZ6452
ø 18cm	AZ6453

Bubbles
glass shade smoky

ø 12cm	AZ5956
ø 15cm	AZ5885
ø 18cm	AZ5959



BUBBLES 1 EXAMPLE SETS



AZ5918+AZ6732



AZ5918+AZ6731



AZ5918+AZ6733



AZ5953+AZ6732



AZ5953+AZ6731



AZ5953+AZ6733



AZ5954+AZ6732



AZ5954+AZ6731




AZ5954+AZ6733

BUBBLES

Bubbles
lampbody

Bubbles
shades



Bubbles
lampbody + shade



- Bubbles**
lampbody round 10
- black AZ5869
 - gold AZ5871
 - white AZ5870




- Bubbles**
glass shades set 10
- 3x ø 10cm ○ white AZ6728
 - 3x ø 12cm ○ clear AZ5872
 - 2x ø 15cm ● smoky AZ5873
 - 2x ø 18cm ● amber AZ6454



- Bubbles**
lampbody round 15
- black AZ5875
 - gold AZ5877
 - white AZ5876



- Bubbles**
glass shades set 15
- 6x ø 10cm ○ white AZ6730
 - 5x ø 12cm ○ clear AZ5878
 - 2x ø 15cm ● smoky AZ5879
 - 2x ø 18cm ● amber AZ6455



BUBBLES 10 EXAMPLE SETS



AZ5871+AZ6728



AZ5869+AZ6728




AZ5876+AZ6730

BUBBLES

Bubbles
lampbody

Bubbles
shades



Bubbles
lampbody + shade



- Bubbles**
lampbody line 10
- | | |
|---------|--------|
| ● black | AZ5866 |
| ● gold | AZ5868 |
| ○ white | AZ5867 |

Bubbles
glass shades set 10


3x ø 10cm	○ white AZ6728
3x ø 12cm	○ clear AZ5872
2x ø 15cm	● smoky AZ5873
2x ø 18cm	● amber AZ6454



- Bubbles**
lampbody wall 1
- | | |
|---------|--------|
| ● black | AZ5881 |
| ● gold | AZ5883 |
| ○ white | AZ5882 |

Bubbles
glass shades

1x ø 12cm	○ white AZ6732
1x ø 12cm	○ clear AZ5955
1x ø 12cm	● smoky AZ5956
1x ø 12cm	● amber AZ6451



BUBBLES LINE 10 EXAMPLE SETS



AZ5868+AZ6728



AZ5867+AZ6728

BUBBLES WALL EXAMPLE SETS



AZ5882+AZ6732



AZ5883+AZ6732



AZ5881+AZ6732

AGORA PENDANT



Agora Pendant White
AZ6641



Agora Pendant Beige
AZ6644






Agora Pendant Pink
AZ6645




Agora Pendant Blue
AZ6642

Agora Pendant	
Code/Color	○ AZ6641 white / white ● AZ6642 blue / white ● AZ6644 beige / white ● AZ6645 pink / white
Finish	fabric / matt
Material	fabric / aluminium
Light source	1x E27 only LED



ONTARIO FLOOR DIMM SWITCH




Ontario Floor DIMM Switch Beige
AZ6804



Ontario Floor DIMM Switch Bk
AZ6803

Ontario Floor DIMM Switch

Code/Color	● AZ6803 black ● AZ6804 beige ○ AZ7202 white ● AZ7203 red
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	15W
Lumens	1200lm
Kelvins	3000K
Dimmable	yes
Type of control	SWITCH DIMMER




MOLLY WALL



Molly S Wall Beige
AZ6806





Molly M Wall Bk
AZ6807



OPTION

Molly S Wall	
Code/Color	● AZ6805 black ● AZ6806 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER


Molly M Wall Bk	
Code/Color	● AZ6807 black ● AZ6808 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



MOLLY FLOOR DIMM




Molly Floor DIMM Beige
AZ6810



Molly Floor DIMM Bk
AZ6809

Molly Floor DIMM	
Code/Color	● AZ6809 black ● AZ6810 beige
Finish	matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	6W
Lumens	450lm
Kelvins	3000K
Dimmable	yes
Type of control	TOUCH DIMMER



RICO WALL 10W+6W 3000K





Rico Wall 10W+6W 3000K Bk
AZ7090




Rico Wall 10W+6W 3000K Wh
AZ7091

Rico Wall 10W+6W 3000K	
Code/Color	● AZ7090 black ○ AZ7091 white
Finish	matt
Material	aluminium
Light source	2 x LED integrated
Power	10W + 5W
Kelvins	3000K



CASTOR WALL 70 CCT SWITCH




Castor Wall 70 CCT Switch WH
AZ7086

Castor Wall 70 CCT Switch BK
AZ7087

Castor Wall 70 CCT Switch

Code/Color	- AZ7086 white - AZ7087 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	6W
Kelvins	3000 / 4000 / 6000K
CCT	yes
Type of control	CCT SWITCH




CASTOR WALL 90 CCT SWITCH



Castor Wall 90 CCT Switch

Code/Color	- AZ7088 white - AZ7089 black
Finish	matt
Material	aluminium / silicone
Light source	1 x LED integrated
Power	9W
Kelvins	3000 / 4000 / 6000K
CCT	yes
Type of control	CCT SWITCH



AMORO BATTERY WALL CCT DIMM




Amoro Wall CCT DIMM Wh
AZ6720



Amoro Wall CCT DIMM Bk
AZ6721

Amoro Wall CCT DIMM

Code/Color	○ AZ6720 white / white ● AZ6721 black / white
Finish	matt / matt
Material	aluminium / PVC
Light source	1 x LED integrated
Power	2W
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT, Dimmable




LARA 3W+6W 3-STEP CCT SWITCH DIMM



Lara 3W+6W 3-Step CCT DIMM Bk
AZ7017




Lara 3W+6W 3-Step CCT DIMM Wh
AZ7016



Lara 3W+6W 3-Step CCT

Code/Color	○ AZ7016 white ● AZ7017 black
Finish	matt
Material	aluminium
Light source	2 x LED integrated
Power	9W
Lumens	240 / 480lm
Kelvins	3000 / 4000 / 6000K
Dimmable	yes
CCT	yes
Type of control	CCT, Dimmable



FARO LED




Faro LED Bk
AZ3204



Faro LED Wh
AZ6881

Faro Led	
Code/Color	● AZ3204 black ○ AZ6881 white
Finish	matt
Material	aluminium / PVC
Light source	2 x LED integrated
Power	3W / 6W
Lumens	280lm
Kelvins	3000K



TROST TABLE DIMM SWITCH DIMM SWITCH



Trost Table DIMM Switch Red
AZ6800




Trost Table DIMM Switch Beige
AZ6802




Trost Table DIMM Switch Bk
AZ6801

Trost Table DIMM Switch	
Code/Color	● AZ6800 red ● AZ6801 black ● AZ6802 beige ○ AZ7201 white
Finish	matt
Material	aluminium
Light source	1 x LED integrated
Power	4,5W
Lumens	337lm
Kelvins	3000K
Dimmable	yes
Type of control	SWITCH DIMMER




EXO 1 BEIGE




Code	Color	Finish	Material	Light Source	Protection class
AZ7111	beige	matt	aluminium	1 x GU10, 40W	IP20

EXO 2 BEIGE



Code	Color	Finish	Material	Light Source	Protection class
AZ7112	beige	matt	aluminium	2 x GU10, 40W	IP20


EXO 3 BEIGE



Code	Color	Finish	Material	Light Source	Protection class
AZ7113	beige	matt	aluminium	3 x GU10, 40W	IP20




EXO 3 LINE 70




Code	Color	Finish	Material	Light Source	Protection class
● AZ6650	black	matt	aluminium	3 x GU10, max. 50W only LED	IP20
○ AZ6651	white	matt	aluminium	3 x GU10, max. 50W only LED	IP20
● AZ6652	beige	matt	aluminium	3 x GU10, max. 50W only LED	IP20

EXO 4 LINE 120



Code	Color	Finish	Material	Light Source	Protection class
● AZ6653	black	matt	aluminium	4 x GU10, max. 50W only LED	IP20
○ AZ6654	white	matt	aluminium	4 x GU10, max. 50W only LED	IP20
● AZ6655	beige	matt	aluminium	4 x GU10, max. 50W only LED	IP20


EXO 6 LINE 200



Code	Color	Finish	Material	Light Source	Protection class
● AZ6656	black	matt	aluminium	6 x GU10, max. 50W only LED	IP20
○ AZ6657	white	matt	aluminium	6 x GU10, max. 50W only LED	IP20
● AZ6658	beige	matt	aluminium	6 x GU10, max. 50W only LED	IP20




PUR 4 CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	CCT	Type of control
● AZ6850	black	matt	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH
○ AZ6851	white	matt	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH
● AZ6852	chrome	shiny	aluminium / PVC	1 x LED integrated, 7W	570lm	2700/3000/4000/6500K	yes	CCT SWITCH

ALEXANDRIA WALL




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6558	black	matt	aluminium / PVC	1 x LED integrated, 8W	357lm	3000K	IP20

LIMAN 6W CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6548	black	matt	aluminium / acrylic	1 x LED integrated, 6W	724lm	3000/4000K	IP20

LIMAN 10W CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6550	black	matt	aluminium / acrylic	1 x LED integrated, 10W	1095lm	3000/4000K	IP20

BABIL 10W CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6554	white	matt	aluminium / PVC	1 x LED integrated, 10W	879lm	3000/4000K	IP20

BABIL 15W CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6547	white	matt	aluminium	1 x LED integrated, 15W	1294lm	3000/4000K	IP20





AQUA COLLECTION

MIRT IP65 8W 3000/4000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7094	black	matt	aluminium / PVC	1 x LED integrated, 8W	640lm	3000K	IP65
● AZ7096	black	matt	aluminium / PVC	1 x LED integrated, 8W	640lm	4000K	IP65



Mirt IP65 8W 3000K

MIRT IP65 15W 3000K/4000K BK





Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7095	black	matt	aluminium / PVC	1 x LED integrated, 15W	1200lm	3000K	IP65
● AZ7097	black	matt	aluminium / PVC	1 x LED integrated, 15W	1200lm	4000K	IP65





Mirt IP65 15W 4000K

MARTON LED IP44 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6858	black	matt	aluminium / PVC	1 x LED integrated, 8W	710lm	3000K	IP44
○ AZ6859	white	matt	aluminium / PVC	1 x LED integrated, 8W	710lm	3000K	IP44
● AZ6860	chrome	shiny	aluminium / PVC	1 x LED integrated, 8W	721lm	3000K	IP44
● AZ6861	gold	shiny	aluminium / PVC	1 x LED integrated, 8W	721lm	3000K	IP44



MARTON LED IP44 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6854	black	matt	aluminium / PVC	1 x LED integrated, 8W	879lm	4000K	IP44
○ AZ6855	white	matt	aluminium / PVC	1 x LED integrated, 8W	879lm	4000K	IP44
● AZ6856	chrome	shiny	aluminium / PVC	1 x LED integrated, 8W	918lm	4000K	IP44
● AZ6857	gold	shiny	aluminium / PVC	1 x LED integrated, 8W	918lm	4000K	IP44




MARTON GX53 IP44



Code	Color	Finish	Material	Light Source	Protection class
○ AZ6442	white	matt	aluminium / PVC	1 x GX53	IP44
● AZ6443	black	matt	aluminium / PVC	1 x GX53	IP44
○ AZ6866	chrome	shiny	aluminium / PVC	1 x GX53	IP44
● AZ6867	gold	shiny	aluminium / PVC	1 x GX53	IP44





PANDINO 30 CCT SWITCH 3-STEP DIMM IP44



CCT SWITCH
2800K / 4000K / 6000K

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6583	white	matt	PVC	1 x LED integrated, 23W	1518lm	2800/4000/6000K	IP44
● AZ6584	black	matt	PVC	1 x LED integrated, 23W	1518lm	2800/4000/6000K	IP44


PANDINO 40 CCT SWITCH 3-STEP DIMM IP44



CCT SWITCH
2800K / 4000K / 6000K

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6585	white	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44
● AZ6586	black	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44


PANDINO 23 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6587	white	matt	PVC	1 x LED integrated, 18W	1440lm	2800/4000/6000K	IP44
● AZ6588	black	matt	PVC	1 x LED integrated, 18W	1440lm	2800/4000/6000K	IP44


PANDINO 30 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6589	white	matt	PVC	1 x LED integrated, 24W	1920lm	2800/4000/6000K	IP44
● AZ6590	black	matt	PVC	1 x LED integrated, 24W	1920lm	2800/4000/6000K	IP44


PANDINO 40 CCT SWITCH SENSOR IP44



SENSOR
time 15-90s
range 2-8m


Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
O AZ6591	white	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44
● AZ6592	black	matt	PVC	1 x LED integrated, 32W	2630lm	2800/4000/6000K	IP44

ANCONA S IP54





Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2192	white	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54
● AZ2191	black	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54
● AZ7141	beige	matt	aluminium	1 x LED integrated, 6W	445lm	3000K	IP54

ANCONA M IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2853	white	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54
● AZ2852	black	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54
● AZ7143	beige	matt	aluminium	1 x LED integrated, 9W	890lm	3000K	IP54

ANCONA L IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ2193	white	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54
● AZ2194	black	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54
● AZ7142	beige	matt	aluminium	1 x LED integrated, 12W	721lm	3000K	IP54

ANCONA XL IP54



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ7144	white	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54
● AZ7145	black	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54
● AZ7146	beige	matt	aluminium	1 x LED integrated, 15W	1110lm	3000K	IP54


ELMO WALL IP44



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6798	black	matt	aluminium / glass	1 x LED integrated, 5W	375lm	3000K	IP44
○ AZ6799	white	matt	aluminium / glass	1 x LED integrated, 5W	375lm	3000K	IP44




PRONTO WALL 60 IP44 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6568	chrome	shiny	aluminium	1 x LED integrated, 14W	1060lm	3000/4000/6000K	IP54
AZ6569	black	matt	aluminium	1 x LED integrated, 14W	1060lm	3000/4000/6000K	IP54

PRONTO WALL 90 IP44 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6570	chrome	shiny	aluminium	1 x LED integrated, 21W	1640lm	3000/4000/6000K	IP54
AZ6571	black	matt	aluminium	1 x LED integrated, 21W	1640lm	3000/4000/6000K	IP54

PANDORA WALL IP44 CCT SWITCH




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6572	chrome	shiny	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54
AZ6573	black	matt	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54
AZ6574	gold	shiny	aluminium	1 x LED integrated, 11W	690lm	3000 / 4000 / 6000K	IP54






OUTDOOR LAMPS

EBRO WALL IP65 12W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6764	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

EBRO 105 IP65 25W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Control Type	Protection class
● AZ6767	BLACK / CLEAR	matt / SHINY	ALUMINIUM / PVC	1 x LED integrated, 25W	2000lm	3000K	N/A	IP65

EBRO 60 IP65 18W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6765	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP65

EBRO 155 80 IP65 32W 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6768	black / clear	matt / shiny	aluminium / PVC	1 x LED integrated, 32W	2560lm	3000K	IP65

FRAME IP65 WALL 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6635	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6633	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ7014	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

FRAME IP65 WALL 4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6636	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6634	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ7015	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65

FRAME IP65 30 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6638	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6684	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
● AZ6760	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65

FRAME IP65 30 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6685	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6686	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
● AZ6761	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65

FRAME IP65 60 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6631	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
AZ6629	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65
AZ6762	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	3000K	IP65


FRAME IP65 60 4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ6632	corten	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
AZ6630	dark grey	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65
AZ6763	black	matt	aluminium / PVC	1 x LED integrated, 12W	960lm	4000K	IP65




CAVALIO IP65 30 3000K DGR




Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7138	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65

CAVALIO IP65 60 3000K DGR



Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7139	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65

CAVALIO IP65 80 3000K DGR



Code	Color	Finish	Material	Light Source	Kelvins	Protection class
● AZ7140	dark grey	matt	aluminium	1 x LED integrated, 10W	3000K	IP65



VILAGIO 30 IP65 4000K





Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7134	beige	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65
AZ7135	dark grey	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65

VILAGIO 60 IP65 4000K






Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7136	beige	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65
AZ7137	dark grey	matt	aluminium	1 x LED integrated, 6W	220lm	4000K	IP65






FUEGO 60 IP65 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7130	corten	matt	aluminium	1 x LED integrated, 6W	480lm	3000K	IP65
AZ7131	black	matt	aluminium	1 x LED integrated, 6W	480lm	3000K	IP65


FUEGO 80 IP65 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
AZ7132	brown	matt	aluminium	2 x LED integrated, 12W	960lm	3000K	IP65
AZ7133	black	matt	aluminium	2 x LED integrated, 12W	960lm	3000K	IP65




LANTERN WALL E27 IP54 BK




Code	Color	Finish	Material	Light Source	Protection class
● AZ6830	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54

LANTERN E27 IP54 BK



Code	Color	Finish	Material	Light Source	Protection class
● AZ6828	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54


LANTERN PENDANT E27 IP54 BK



Code	Color	Finish	Material	Light Source	Protection class
● AZ6829	black / clear	matt / shiny	aluminium / glass	1 x E27, 20W	IP54





FIGARO WALL IP54 3000K BK




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6826	black	matt	aluminium / acrylic	1 x LED integrated, 8W	640lm	3000K	IP54

FIGARO 650 3000K IP54 BK



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6827	black	matt	aluminium / acrylic	1 x LED integrated, 8W	640lm	3000K	IP54


OUTDOOR PLUG 2kW IP54 BK



Code	Color	Finish	Material	Socket max. load	Protection class
● AZ6849	black	matt	aluminium / PVC	2000W	IP54




OPLO WALL 3000K IP54




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6831	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6832	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54

OPLO 650 3000K IP54



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6833	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6834	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54

OPLO NUMBER WALL 3000K IP54



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6835	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6836	black	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54



GUSTO 90 WALL IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6839	black	matt	aluminium	1 x LED integrated, 9W	365lm	3000K	IP54
● AZ6840	dark grey	matt	aluminium	1 x LED integrated, 9W	365lm	3000K	IP54
● AZ6843	black	matt	aluminium	1 x LED integrated, 9W	365lm	4000K	IP54
● AZ6844	dark grey	matt	aluminium	1 x LED integrated, 9W	365lm	4000K	IP54

GUSTO 120 WALL IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6837	black	matt	aluminium	1 x LED integrated, 12W	490lm	3000K	IP54
● AZ6838	dark grey	matt	aluminium	1 x LED integrated, 12W	490lm	3000K	IP54
● AZ6841	black	matt	aluminium	1 x LED integrated, 12W	490lm	4000K	IP54
● AZ6842	dark grey	matt	aluminium	1 x LED integrated, 12W	490lm	4000K	IP54




LENNART 100 IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ5696	black	matt	aluminium	1 x LED integrated, 18W	1625lm	3000K	IP54
● AZ7147	beige	matt	aluminium	1 x LED integrated, 18W	1625lm	3000K	IP54
● AZ5697	black	matt	aluminium	1 x LED integrated, 18W	1625lm	4000K	IP54
● AZ7148	beige	matt	aluminium	1 x LED integrated, 18W	1625lm	4000K	IP54


LENNART 150 IP54 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ5698	black	matt	aluminium	1 x LED integrated, 18W	2342lm	3000K	IP54
● AZ7149	beige	matt	aluminium	1 x LED integrated, 18W	2342lm	3000K	IP54
● AZ5699	black	matt	aluminium	1 x LED integrated, 18W	2433lm	4000K	IP54
● AZ7150	beige	matt	aluminium	1 x LED integrated, 18W	2433lm	4000K	IP54




DURANTE IP54 CCT SWITCH



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6537	black	matt	aluminium / PVC	1 x LED integrated, 21W	1680lm	2800 / 4000 / 6000K	IP54


DURANTE IP54 SENSOR CCT SWITCH



SENSOR: DISTANCE: 0,5 - 10 m. | HEIGHT: 2-2,5 m. | ANGLES: 150° + 90° | TIME: 30 s.-3 min. | DUSK SENSITIVITY

Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6536	black	matt	aluminium / PVC	1 x LED integrated, 21W	1680lm	2800 / 4000 / 6000K	IP54


MORTEN IP54 WALL 3000/4000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
○ AZ6639	white	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
● AZ6637	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	3000K	IP54
○ AZ6640	white	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	4000K	IP54
● AZ6637	dark grey	matt	aluminium / PVC	1 x LED integrated, 10W	800lm	4000K	IP54



CUBIC IP54 18W 3000K



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6687	black	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP54
● AZ6689	dark grey	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	3000K	IP54


CUBIC IP54 18W 4000K




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ6688	black	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	4000K	IP54
● AZ6690	dark grey	matt	aluminium / PVC	1 x LED integrated, 18W	1440lm	4000K	IP54



GAMBINO XL WALL IP65 3000K DGR




Adjustable light angle




Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7092	dark grey	matt	aluminium	1 x LED integrated, 20W	1600lm	3000K	IP65

GAMBINO XL WALL IP65 4000K DGR



Adjustable light angle



Code	Color	Finish	Material	Light Source	Lumens	Kelvins	Protection class
● AZ7093	dark grey	matt	aluminium	1 x LED integrated, 20W	1600lm	4000K	IP65






1LINE
TRACK SYSTEM

PLAIN TRACK 1LINE



Voltage 230V	Kelvins / Lumens 3000K 1117lm 4000K 1014lm	Light source 1x LED integrated
Power 12W	Beam angle 24°	Protection level IP20
Material aluminium	Finish matt	
● 3000K black ● 4000K black ○ 3000K white ○ 4000K white AZ6865 AZ6863 AZ6864 AZ6862		



ALFA
TRACK MAGNETIC



ALFA TRACK MAGNETIC52 CONNECTOR T A GIPS1

Color/Code	● black		AZ6694
	○ white		AZ6697



ALFA TRACK MAGNETIC52 CONNECTOR T A GIPS2

Color/Code	● black		AZ6695
	○ white		AZ6698



ALFA TRACK MAGNETIC52 CONNECTOR T A

Color/Code	● black		AZ6693
	○ white		AZ6696



ALFA TRACK MAGNETIC52 230V ELECTRICAL CONNECTOR T

Color/Code	● black		AZ6699
	○ white		AZ6700



ALFA TRACK MAGNETIC 2LINE L1 DRIVER 100W DIMM INSIDE WH

Color/Code	○ white		AZ6682
------------	---------	-------	--------



ALFA TRACK MAGNETIC DRIVER 2Line 100+100W DIMM INSIDE WH

Color/Code	○ white		AZ6681
------------	---------	-------	--------



ALFA SAGA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage = 48V	Lumens 487 / 553lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7230K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black

AZ6236
- white

AZ6498



ALFA SAGA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




Voltage = 48V	Lumens 940 / 1062lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 3000 / 4000 / 7100K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black

AZ6237
- white

AZ6499



ALFA SAGA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




Voltage = 48V	Lumens 2880lm	Beam angle 120°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black

AZ6238
- white

AZ6500



ALFA SAGA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM




Voltage = 48V	Lumens 1877 / 2132lm	Beam angle 105°
Light source 1x LED integrated	Kelvins 3000 / 4000 / 7320K	Power 48W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		


- black

AZ6239
- white

AZ6501



ALFA SAGA TRACK MAGNETIC 2LINE CORNER A 24W CCT SWITCH DIMM




Voltage ≍ 48V	Lumens 909 / 1032lm	Beam angle 104°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7274K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

○ white
-
- AZ6244

AZ6506



ALFA SAGA TRACK MAGNETIC 2LINE CORNER B 24W CCT SWITCH DIMM




Voltage ≍ 48V	Lumens 672 / 764lm	Beam angle 69°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 7160K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black

○ white
-
- AZ6245


AZ6507



ALFA KIRA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM



Voltage ≍ 48V	Lumens 1150lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6240
- white / black AZ6502

ALFA KIRA TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM



Voltage ≍ 48V	Lumens 1450lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6241
- white / black AZ6503

ALFA KIRA TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM



Voltage ≍ 48V	Lumens 1750lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black AZ6242
- white / black AZ6504

ALFA KIRA TRACK MAGNETIC 2LINE 48W CCT SWITCH DIMM



Voltage ≍ 48V	Lumens 2050lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 48W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		



- black AZ6243
- white / black AZ6505

ALFA CYRUS TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage = 48V	Light source 1x LED integrated	Power 12W
Lumens 1060lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 100°
Material aluminium / PVC	Finish matt / shiny	

- black

AZ6246
- white /black

AZ6508



ALFA CYRUS TRACK MAGNETIC 2LINE 24W CCT SWITCH DIMM




Voltage = 48V	Light source 1x LED integrated	Power 24W
Lumens 1560lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 100°
Material aluminium / PVC	Finish matt / shiny	

- black

AZ6247
- white /black

AZ6509



ALFA CYRUS TRACK MAGNETIC 2LINE 36W CCT SWITCH DIMM




Voltage = 48V	Light source 1x LED integrated	Power 24W
Lumens 2340lm	Kelvins 3000/4000/6000K	Beam angle 28°
Protection level IP20	Type of control CCT SWITCH	Tilt 90°
Material aluminium / PVC	Finish matt / shiny	

- black

AZ6248
- white /black

AZ6510



ALFA NIKO TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM




Voltage = 48V	Lumens 254 / 347lm	Beam angle 37°
Light source 1x LED integrated	Kelvins 2780 / 4000 / 6300K	Rotation 350°
Power 20W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6249
- white

AZ6511



ALFA NIKO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage = 48V	Lumens 572 / 772lm	Beam angle 41°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6700K	Rotation 350°
Power 7W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6250
- white

AZ6512



ALFA NIKO TRACK MAGNETIC 2LINE 20W CCT SWITCH DIMM




Voltage = 48V	Lumens 956 / 1232lm	Beam angle 45°
Light source 1x LED integrated	Kelvins 2900 / 4000 / 6600K	Rotation 350°
Power 12W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6251
- white

AZ6513



ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X7W CCT SWITCH DIMM




Voltage ≈ 48V	Lumens 507 / 695lm	Beam angle 38°
Light source 2x LED integrated	Kelvins 2800 / 4000 / 6500K	Rotation 350°
Power 24W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6252
- white

AZ6514



ALFA NIKO 2 TRACK MAGNETIC 2LINE 2X12W CCT SWITCH DIMM




Voltage ≈ 48V	Lumens 770lm	Beam angle 24°
Light source 2x LED integrated	Kelvins 3000/4000/6000K	Rotation 350°
Power 14W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6253
- white

AZ6515



ALFA PORTO TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage ≈ 48V	Lumens 502 / 693lm	Beam angle 31°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6500K	Power 12W
Protection level IP20	Tilt 310°	Type of control CCT SWITCH
Material aluminium / PVC	Finish matt	

- black

AZ6254
- white

AZ6516



ALFA OPTICA TRACK MAGNETIC 2LINE 12W CCT SWITCH DIMM




Voltage ≈ 48V	Lumens 524 / 712lm	Beam angle 20° - 60°
Light source 1x LED integrated	Kelvins 2800 / 4000 / 6700K	Rotation 350°
Power 12W	Protection level IP20	Tilt 90°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt


- black

AZ6256
- white

AZ6517



ALFA MITUS TRACK MAGNETIC 2LINE 18W CCT SWITCH DIMM




Voltage ~ 48V	Lumens 1350lm	Beam angle 120°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Rotation 360°
Power 18W	Protection level IP20	Tilt 45°
Type of control CCT SWITCH	Material aluminium / PVC	Finish matt

- black

AZ6257
- white

AZ6518



ALFA KERRY TRACK MAGNETIC 2LINE 7W CCT SWITCH DIMM




Voltage ~ 48V	Lumens 300lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 7W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt		

- black

AZ6255
- white

AZ6519



ALFA SAGA TRACK MAGNETIC CORNER A 24W CCT BLUETOOTH




Voltage ~ 48V	Lumens 1800lm	Beam angle
Light source 1x LED integrated	Kelvins 3000 - 6000K	Rotation N/A
Power 24W	Protection level IP20	Tilt N/A
Type of control BLUETOOTH	Material aluminium / PVC	Finish matt

- black

AZ6708
- white


AZ6709



ALFA SAGA TRACK MAGNETIC 12W DALI CCT DIMM



Voltage	Lumens	Beam angle
48V	550lm	104°
Light source	Kelvins	Power
1x LED integrated	2900 / 4000 / 6000K	12W
Protection level	Type of control	Material
IP20	Dali	aluminium / PVC
Finish	matt	




- black AZ6284
- white AZ7247

ALFA SAGA TRACK MAGNETIC 24W DALI CCT DIMM



Voltage	Lumens	Beam angle
48V	1650lm	104°
Light source	Kelvins	Power
1x LED integrated	3000 / 4000 / 6000K	24W
Protection level	Protection level	Type of control
IP20	IP20	DALI
Material	Finish	
aluminium / PVC	matt	




- black AZ6285
- white AZ7248

ALFA SAGA TRACK MAGNETIC 36W DALI CCT DIMM



Voltage	Lumens	Beam angle
48V	1900lm	120°
Light source	Kelvins	Power
1x LED integrated	3000/4000/6000K	36W
Protection level	Type of control	Material
IP20	Dali	aluminium / PVC
Finish	matt	



- black AZ6494
- white AZ7251





ALFA SAGA TRACK MAGNETIC CORNER A 24W DALI CCT DIMM




Voltage	Lumens	Beam angle
≈ 48V	909 / 1032lm	104°
Light source	Kelvins	Power
1x LED integrated	2900 / 4000 / 7274K	24W
Protection level	Type of control	Material
IP20	CCT SWITCH	aluminium / PVC
Finish		
matt		

- black

AZ6288
- white

AZ7249



ALFA SAGA TRACK MAGNETIC CORNER B 24W DALI CCT DIMM




Voltage	Lumens	Beam angle
≈ 48V	672 / 764lm	69°
Light source	Kelvins	Power
1x LED integrated	2900 / 4000 / 7160K	24W
Protection level	Type of control	Material
IP20	CCT SWITCH	aluminium / PVC
Finish		
matt		

- black

AZ6289
- white


AZ7250



ALFA KIRA TRACK MAGNETIC 12W DALI CCT DIMM



Voltage = 48V	Lumens 1150lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 12W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black **AZ6286**
- white / black **AZ7252**

ALFA KIRA TRACK MAGNETIC 24W DALI CCT DIMM



Voltage = 48V	Lumens 1450lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 24W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		




- black **AZ6287**
- white / black **AZ7245**

ALFA KIRA TRACK MAGNETIC 36W DALI CCT DIMM



Voltage = 48V	Lumens 1750lm	Beam angle 24°
Light source 1x LED integrated	Kelvins 3000/4000/6000K	Power 36W
Protection level IP20	Type of control CCT SWITCH	Material aluminium / PVC
Finish matt / shiny		



- black **AZ6495**
- white / black **AZ7246**



A modern interior space featuring a track lighting fixture in the foreground. The fixture is a cylindrical, gold-colored track light with a magnetic head, mounted on a recessed ceiling track. The background shows a living room with a large sofa, a coffee table, and large windows with sheer curtains. The overall aesthetic is minimalist and contemporary.

BETA
TRACK MAGNETIC



BETA TRACK MAGNETIC57 230V (1m, 2m, 3m)

Length/Color/Code	● 1m black	AZ5139
	○ 1m white	AZ5140
	● 1m beige	AZ7314
	● 2m black	AZ5141
	○ 2m white	AZ5142
	● 2m beige	AZ7315
	● 3m black	AZ5143
	○ 3m white	AZ5144
	● 3m beige	AZ7316



BETA TRACK MAGNETIC57 230V CORNER90 A

Color/Code	● black	AZ5158
	○ white	AZ5159
	● anodised chocolate	AZ6380
	● anodised gold	AZ6381
	● anodised silver	AZ6439
	● beige	AZ7626



BETA TRACK MAGNETIC57 230V CORNER90 B

Color/Code	● black	AZ5160
	○ white	AZ5161
	● anodised chocolate	AZ6382
	● anodised gold	AZ6383
	● anodised silver	AZ6440
	● beige	AZ7327



BETA TRACK MAGNETIC57 230V CONNECTOR T A

Color/Code	● black	AZ6701
	○ white	AZ6704
	● beige	AZ7385



BETA TRACK MAGNETIC 230V SUSPENSION KIT

Color/Code	● black	AZ5155
	● beige	AZ7324



BETA TRACK MAGNETIC57 230V GIPS1 (1m, 2m, 3m)

Length/Color/Code	● 1m black	AZ5145
	○ 1m white	AZ5146
	● 1m beige	AZ7317
	● 2m black	AZ5147
	○ 2m white	AZ5148
	● 2m beige	AZ7318
	● 3m black	AZ5149
	○ 3m white	AZ5150
	● 3m beige	AZ7319



BETA TRACK MAGNETIC57 230V GIPS2 (1m, 2m, 3m)

Length/Color/Code	● 1m black	AZ5170
	● 1m beige	AZ7332
	● 2m black	AZ5171
	● 2m beige	AZ7333
	● 3m black	AZ5172
	● 3m beige	AZ7334



BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

Color/Code	● black	AZ5162
	○ white	AZ5163
	● beige	AZ7328



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

Color/Code	● black	AZ5164
	○ white	AZ5165
	● beige	AZ7329



BETA TRACK MAGNETIC57 230V CONNECTOR T A GIPS1


Color/Code	● black	AZ6702
	○ white	AZ6705
	● beige	AZ7386



BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2
Color/Code ● black **AZ5174**
 ● beige **AZ7336**



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS2
Color/Code ● black **AZ5173**
 ● beige **AZ7335**



BETA TRACK MAGNETIC57 230V CONNECTOR T A GIPS2
Color/Code ● black **AZ6703**



BETA TRACK MAGNETIC50 EASYFIX 230V (1m, 2m, 3m)
Length/Color/Code ● 1m black **AZ6067**
 ● 1m beige **AZ7377**
 ● 2m black **AZ6068**
 ● 2m beige **AZ7378**
 ● 3m black **AZ6069**
 ● 3m beige **AZ7379**



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 A
Color/Code ● black **AZ6072**
 ● beige **AZ7381**



BETA TRACK MAGNETIC50 EASYFIX 230V CORNER90 B
Color/Code ● black **AZ6073**
 ● beige **AZ7382**



BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR MECHANICAL
Color/Code ● black **AZ5151**



BETA TRACK MAGNETIC57 230V COVER
Color/Code ● black **AZ5168**
 ○ white **AZ5169**
 ● beige **AZ7331**



BETA TRACK MAGNETIC 230V ADAPTER FOR PENDANT LAMP
Color/Code ● black **AZ5156**
 ○ white **AZ5157**
 ● beige **AZ7324**



BETA TRACK MAGNETIC 230V FLEX CONNECTOR ELECTRIC
Color/Code ● black **AZ5153**



BETA TRACK MAGNETIC 230V STRAIGHT CONNECTOR ELECTRIC
Color/Code ● black AZ5152



BETA TRACK MAGNETIC 230V POWER ELECTRICAL CONNECTOR
Color/Code ● black AZ5154




BETA TRACK MAGNETIC57 230V ELECTRICAL CONNECTOR T
Color/Code ● black AZ6706



BETA TRACK MAGNETIC50 EASYFIX 230V END CAP
Color/Code ● black AZ6074
 ● beige AZ7383





BETA SAGA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 495lm 4000K 524lm	Light source 1x LED integrated
Power 9W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black	_____	AZ5190
● 4000K black	_____	AZ5214
○ 3000K white	_____	AZ6470
○ 4000K white	_____	AZ6471
● 3000K beige	_____	AZ7352
● 4000K beige	_____	AZ7373


BETA SAGA 230V TRACK MAGNETIC 27W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 495lm 4000K 524lm	Light source 1x LED integrated
Power 9W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black	_____	AZ5192
● 4000K black	_____	AZ5216
○ 3000K white	_____	AZ6466
○ 4000K white	_____	AZ6467
● 3000K beige	_____	AZ7354
● 4000K beige	_____	AZ7375

BETA SAGA 230V TRACK MAGNETIC 18W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 603lm 4000K 1097lm	Light source 1x LED integrated
Power 18W	Beam angle 120°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black	_____	AZ5191
● 4000K black	_____	AZ5215
○ 3000K white	_____	AZ6464
○ 4000K white	_____	AZ6465
● 3000K beige	_____	AZ7353
● 4000K beige	_____	AZ7374



BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 685lm 4000K 726lm	Light source 1x LED integrated
Power 9W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black		AZ5187
● 4000K black		AZ5211
○ 3000K white		AZ6460
○ 4000K white		AZ6461
● 3000K beige		AZ7349
● 4000K beige		AZ7370

BETA KIRA 230V TRACK MAGNETIC 9W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 1357lm 4000K 1416lm	Light source 1x LED integrated
Power 27W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black		AZ5189
● 4000K black		AZ5213
○ 3000K white		AZ6458
○ 4000K white		AZ6459
● 3000K beige		AZ7351
● 4000K beige		AZ7372

BETA KIRA 230V TRACK MAGNETIC 18W 3000/4000K




Voltage 230V	Kelvins / Lumens 3000K 1300lm 4000K 1345lm	Light source 1x LED integrated
Power 18W	Beam angle 24°	Protection level IP20
Type of control dimmmable	Material aluminium / PVC	Finish matt

● 3000K black		AZ5188
● 4000K black		AZ5212
○ 3000K white		AZ6456
○ 4000K white		AZ6457
● 3000K beige		AZ7350
● 4000K beige		AZ7371



BETA SANDERS 230V TRACK MAGNETIC 9W 3000/4000K




Voltage 230V	Kelvins / Lumens 3000K 666lm 4000K 700lm	Light source 1x LED integrated
Power 9W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

● 3000K black	_____	AZ5193
● 4000K black	_____	AZ5194
● 3000K beige	_____	AZ7355
● 4000K beige	_____	AZ7356




BETA MAKITA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 728lm 4000K 816lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

● 3000K black	_____	AZ5199
● 4000K black	_____	AZ5200
○ 3000K white	_____	AZ6462
○ 4000K white	_____	AZ6463
● 3000K beige	_____	AZ7361
● 4000K beige	_____	AZ7362

BETA MAKITA 230V TRACK MAGNETIC 20W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 1396lm 4000K 1557lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 350°
Material aluminium / PVC	Finish matt	

● 3000K black	_____	AZ5201
● 4000K black	_____	AZ5202
● 3000K beige	_____	AZ7363
● 4000K beige	_____	AZ7364

BETA OPTICA 230V TRACK MAGNETIC 7W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 336lm 4000K 395lm	Light source 1x LED integrated
Power 7W	Beam angle 15-38°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 360°
Material aluminium / PVC	Finish matt	

● 3000K black	_____	AZ5195
● 4000K black	_____	AZ5196
○ 3000K white	_____	AZ6468
○ 4000K white	_____	AZ6469
● 3000K beige	_____	AZ7357
● 4000K beige	_____	AZ7358

BETA OPTICA 230V TRACK MAGNETIC 10W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 805lm 4000K 847lm	Light source 1x LED integrated
Power 10W	Beam angle 15-38°	Protection level IP20
Type of control dimmable	Tilt 90°	Rotation 360°
Material aluminium / PVC	Finish matt	


● 3000K black	_____	AZ5198
● 4000K black	_____	AZ5197
● 3000K beige	_____	AZ7360
● 4000K beige	_____	AZ7359

BETA KERRY 230V TRACK MAGNETIC 10W 3000/4000K



Voltage 230V	Kelvins / Lumens 3000K 635lm 4000K 654lm	Light source 1x LED integrated
Power 10W	Beam angle 24°	Protection level IP20
Material aluminium / PVC	Finish matt	


● 3000K black	_____	AZ5203
● 4000K black	_____	AZ5204
● 3000K beige	_____	AZ7365
● 4000K beige	_____	AZ7366



BETA BECKER 230V TRACK MAGNETIC GU10



Voltage	Light source	Power
230V	1x GU10	max 40W only LED
Protection level	Material	Finish
IP20	ALUMINIUM	matt
Tilt	Rotation	
90°	350°	



- black

○ white

● beige
-
- AZ5465


AZ5466

AZ7376

BETA GARY 2 230V TRACK MAGNETIC GU10



Voltage	Light source	Power
230V	1x GU10	max 50W only LED
Protection level	Material	Finish
IP20	ALUMINIUM	matt
Tilt	Rotation	
90°	350°	



- black

○ white

● beige
-
- AZ6692


AZ6691

AZ7384

BETA GARY 230V TRACK MAGNETIC GU10



Voltage	Light source	Power
230V	1x GU10	max 50W only LED
Protection level	Material	Finish
IP20	ALUMINIUM	matt
Tilt	Rotation	
90°	350°	



- black

○ white

● beige
-
- AZ5207

AZ5208

AZ7369



BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	806lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	9W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control		
BLUETOOTH		

- black


○ white

● beige
- _____

- AZ5178

AZ7241

AZ7340



BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1503lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control		
BLUETOOTH		

- black


○ white

● beige
- _____


- AZ5179

AZ7240

AZ7341



BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	2695lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	27W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control		
BLUETOOTH		

- black


○ white

● beige
- _____

- AZ5180

AZ7239

AZ7342



BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH



Voltage	Lumens	Light source
230V	1503lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control		
BLUETOOTH		

- black


○ white

● beige
- _____


- AZ5205

AZ7232


AZ7367



BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1033lm	1x LED integrated
Kelvins	Power	Protection level
3000 - 6000K	9W	IP20
Type of control	Material	Finish
BLUETOOTH	aluminium / PVC	matt




- black [AZ5175](#)
- white [AZ7244](#)
- beige [AZ7337](#)

BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1962lm	1x LED integrated
Kelvins	Power	Protection level
3000 - 6000K	18W	IP20
Type of control	Material	Finish
BLUETOOTH	aluminium / PVC	matt




- black [AZ5176](#)
- white [AZ7243](#)
- beige [AZ7338](#)

BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	3420lm	1x LED integrated
Kelvins	Power	Protection level
3000 - 6000K	27W	IP20
Type of control	Material	Finish
BLUETOOTH	aluminium / PVC	matt




- black [AZ5177](#)
- white [AZ7242](#)
- beige [AZ7339](#)



BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1010lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	9W	24°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control	Tilt	Rotation
BLUETOOTH	90°	350°



- black


AZ5181
- white

AZ7238
- beige


AZ7343



BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	467lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	7W	15-38°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black

AZ5182
- white


AZ7237
- beige

AZ7344

BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1143lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	10W	15-38°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black

AZ5183
- white


AZ7236
- beige

AZ7345

BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	1234lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	10W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black [AZ5184](#)
- white [AZ7235](#)
- beige [AZ7346](#)

BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH



Voltage	Lumens	Light source
230V	2388lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	20W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt




- black [AZ5185](#)
- white [AZ7234](#)
- beige [AZ7347](#)

BETA MAKITA 230V TRACK MAGNETIC 10W RGB-CW BLUETOOTH



Voltage	Lumens	Light source
230V	1234lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	18W	24°
Protection level	Type of control	Tilt
IP20	BLUETOOTH	90°
Rotation	Material	Finish
350°	aluminium / PVC	matt



- black [AZ5206](#)
- beige [AZ7368](#)



BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH




Voltage	Lumens	Light source
230V	1046lm	1x LED integrated
Kelvins	Power	Beam angle
3000 - 6000K	10W	120°
Protection level	Material	Finish
IP20	aluminium / PVC	matt
Type of control		
BLUETOOTH		

- black

AZ5186
- white

AZ7233
- beige

AZ7348



A modern interior space with a minimalist design. A black track lighting system is mounted on the ceiling, featuring several adjustable spotlights and three long, thin, black cylindrical pendant lights hanging from thin wires. The walls are a neutral, light beige color, and the floor is a smooth, light-colored material. The lighting creates a warm, ambient glow.

DELTA
TRACK MAGNETIC
SUPER SLIM



DELTA TRACK MAGNETIC SUPER SLIM

Delta Track Magnetic Super Slim Corner90 A BK
AZ6980


Delta Track Magnetic Super Slim End Cap BK
AZ6983

Delta Track Magnetic Super Slim Corner90 B BK
AZ6981



DELTA TRACK MAGNETIC SUPER SLIM (1m, 1,5m, 2m)

Length/Color/Code ● 1m black AZ6975
● 1,5m black AZ6977
● 2m black AZ6976



DELTA TRACK MAGNETIC SUPER SLIM CORNER90 A BK

Color/Code ● black AZ6980

DELTA TRACK MAGNETIC SUPER SLIM CORNER90 B BK

Color/Code ● black AZ6981

DELTA TRACK MAGNETIC SUPER SLIM END CAP BK

Color/Code ● black AZ6983

DELTA TRACK MAGNETIC SUPER SLIM CURVE R30

Color/Code ● black AZ6978

DELTA TRACK MAGNETIC SUPER SLIM CURVE R60

Color/Code ● black AZ6979

DELTA TRACK MAGNETIC SUPER SLIM SUSPENSION KIT BK

Color/Code ● black AZ6984



- DELTA TRACK MAGNETIC SUPER SLIM ROD SUSPENSION**
- Height/ Color/Code
- 10 cm black **AZ7001**
 - 30-60 cm black **AZ7004**
 - 60-120 cm black **AZ7005**




- DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ROD SUSPENSION**
- Height/ Color/Code
- 10 cm black **AZ7007**
 - 30-60 cm black **AZ6678**
 - 60-120 cm black **AZ6679**




- DELTA TRACK MAGNETIC SUPER SLIM ELECTRIC ROD SUSPENSION**
- Height/ Color/Code
- 10 cm black **AZ7000**
 - 30-60 cm black **AZ7002**
 - 60-120 cm black **AZ7003**




- DELTA TRACK MAGNETIC SUPER SLIM DOUBLE ELECTRIC ROD SUSPENSION**
- Height/ Color/Code
- 10 cm black **AZ7006**
 - 30-60 cm black **AZ7008**
 - 60-120 cm black **AZ6677**



DELTA TRACK MAGNETIC SUPER SLIM GIPS



- DELTA TRACK MAGNETIC SUPER SLIM GIPS (1m, 2m)**
- Length/Color/Code
- 1m black **AZ6992**
 - 2m black **AZ6993**



- DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 A BK**
- Color/Code
- black **AZ6994**



DELTA TRACK MAGNETIC SUPER SLIM GIPS CORNER90 B BK

Color/Code ●black AZ6995



DELTA TRACK MAGNETIC SUPER SLIM GIPS END CAP BK

Color/Code ●black AZ6696

ELECTRIC ACCESSORIES FOR DELTA TRACK MAGNETIC SUPER SLIM



DELTA TRACK MAGNETIC SUPER SLIM 48V DRIVER ELECTRIC CONNECTOR BK

Color/Code ●black AZ6987



DELTA TRACK MAGNETIC SUPER SLIM 48V FLEX ELECTRIC CONNECTOR BK

Color/Code ●black AZ6988




DELTA TRACK MAGNETIC SUPER SLIM 48V STRAIGHT ELECTRIC CONNECTOR BK

Color/Code ●black AZ6989



DELTA TRACK MAGNETIC SUPER SLIM CCT DIMM BLUETOOTH DRIVER 48V BK (100W, 150W)

Power/Color/Code ●100W black AZ6990
 ●150W black AZ6991




DRIVER OUTSIDE MEANWELL (100W, 200W)

Power/Code 100W AZ4691
 200W AZ4692



CONTROLLER CCT DIMM BLUETOOTH


Power/Color/Code ○ white AZ7380



DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE




DELTA TRACK MAGNETIC SUPER SLIM CEILING BASE BK
Color/Code ● black AZ6680




Tuya
SMART APP



DELTA TRACK MAGNETIC SUPER SLIM DOUBLE (1,5m)
Length/Color/Code ● 1,5m black AZ7389



DELTA TRACK MAGNETIC SUPER SLIM PENDANT 150 SET 32W+10W BK



up light


down light



Tuya
SMART APP

Voltage	Lumens	Light source
48V	3360lm	2x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	32W + 10W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt

● black AZ6998




DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 6W

Voltage	Lumens	Light source
48V	175lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	6W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7303



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 12W

Voltage	Lumens	Light source
48V	349lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	12W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7304



DELTA TRACK MAGNETIC SUPER SLIM FLEX LAMP CCT 18W

Voltage	Lumens	Light source
48V	648lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/5000K	18W	IP20
Type of control	Material	Finish
CCT	PVC	matt


o white AZ7305



DELTA SAGI TRACK MAGNETIC SUPER SLIM 5W CCT BK




Voltage	Lumens	Light source
48V	400lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	5W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black AZ5393

DELTA SAGI TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage	Lumens	Light source
48V	800lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	10W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black AZ5394

BLUETOOTH

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 8W CCT BK



Voltage	Lumens	Light source
48V	640lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	8W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black AZ5395

DELTA KIRKA TRACK MAGNETIC SUPER SLIM 16W CCT BK



Voltage	Lumens	Light source
48V	1280lm	1x LED integrated
Kelvins	Kelvins	Protection level
3000/4000/6000K	3000/4000/6000K	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black AZ5396

DELTA SAGA TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage	Lumens	Light source
48V	800lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	10W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt

● black AZ5397




DELTA SAGI TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage	Lumens	Light source
48V	1200lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	15W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt

● black AZ5398




DELTA KIRA TRACK MAGNETIC SUPER SLIM 10W CCT BK



Voltage	Lumens	Light source
48V	800lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	10W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt

● black AZ5399




DELTA KIRKA TRACK MAGNETIC SUPER SLIM 16W CCT BK



Voltage	Lumens	Light source
48V	1200lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	15W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt


● black AZ5400



DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 12W CCT BK



Voltage	Light source	Power
48V	1x LED integrated	12W
Lumens	Kelvins	Beam angle
915lm	3000/4000/6000K	180°
Protection level	Type of control	Material
IP20	CCT	aluminium / PVC
Finish		
matt / shiny		




● black / clear.....AZ5406

DELTA TEMIDA TRACK MAGNETIC SUPER SLIM 18W CCT BK



Voltage	Light source	Power
48V	1x LED integrated	18W
Lumens	Kelvins	Beam angle
1440lm	3000/4000/6000K	180°
Protection level	Type of control	Material
IP20	CCT	aluminium / PVC
Finish		
matt / shiny		




● black / clear.....AZ5406



DELTA PAVO TRACK MAGNETIC SUPER SLIM 7W CCT BK



Voltage 48V	Lumens lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 7W	Protection level IP20
Type of control CCT	Rotation 350°	Tilt 90°
Material aluminium / PVC	Finish matt	




● black AZ5401

DELTA PAVO TRACK MAGNETIC SUPER SLIM 12W CCT BK



Voltage 48V	Lumens lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 12W	Protection level IP20
Rotation 350°	Tilt 90°	Type of control CCT
Material aluminium / PVC	Finish matt	




● black AZ5402

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 3W CCT BK



Voltage 48V	Lumens 240lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 3W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5403

DELTA ANTILA TRACK MAGNETIC SUPER SLIM 7W CCT BK



Voltage 48V	Lumens 560lm	Light source 1x LED integrated
Kelvins 3000/4000/6000K	Power 7W	Protection level IP20
Type of control CCT	Material aluminium / PVC	Finish matt




● black AZ5404

DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT CLEAR




Voltage	Lumens	Light source
48V	450lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	5W	IP20
Type of control	Material	Finish
CCT	glass / PVC	shiny

o clear AZ5409




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT CLEAR



Voltage	Lumens	Light source
48V	450lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	5W	IP20
Type of control	Material	Finish
CCT	glass / PVC	shiny

o clear AZ5410




DELTA DORADO TRACK MAGNETIC SUPER SLIM D10 CCT MILKY



Voltage	Lumens	Light source
48V	450lm	1x LED integrated
Light source	Power	Protection level
1x LED integrated	5W	IP20
Type of control	Material	Finish
CCT	glass / PVC	matt

o white AZ6973




DELTA DORADO TRACK MAGNETIC SUPER SLIM D12 CCT MILKY



Voltage	Lumens	Light source
48V	450lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	5W	IP20
Type of control	Material	Finish
CCT	glass / PVC	matt


o white AZ6974



DELTA MENSA TRACK MAGNETIC SUPER SLIM 18W CCT BK



Voltage	Lumens	Light source
48V	1440lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	18W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black **AZ5407**

DELTA DRACO TRACK MAGNETIC SUPER SLIM 9W CCT BK



Voltage	Lumens	Light source
48V	720lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	9W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt




● black **AZ5408**


DELTA KERRY TRACK MAGNETIC SUPER SLIM 7W CCT BK



Voltage	Lumens	Light source
48V	560lm	1x LED integrated
Kelvins	Power	Protection level
3000/4000/6000K	7W	IP20
Type of control	Material	Finish
CCT	aluminium / PVC	matt

● black **AZ5405**




A modern outdoor patio area featuring a concrete wall and ceiling. A black track with warm white LED lights is mounted on the ceiling. A single black cylindrical pendant light hangs from the track. The patio is furnished with two wooden armchairs with light-colored cushions and a small round concrete table. Large potted plants, including olive trees and grasses, are placed around the seating area. A large glass door is visible in the background, leading into a building.



TRACK IP65




- Track IP65 (1m, 2m, 3m)
- | | | |
|-------------------|------------|------------|
| Length/Color/Code | ● 1m black | ... AZ6920 |
| | ○ 1m white | ... AZ6923 |
| | ● 2m black | ... AZ6921 |
| | ○ 2m white | ... AZ6924 |
| | ● 3m black | ... AZ6922 |
| | ○ 3m white | ... AZ6925 |




- Track IP65 LED Line 3000K/4000K (1m, 2m, 3m)
- | | | |
|---------------------------|------------------|------------|
| Length/Kelvins/Color/Code | ○ 1m 3000K white | ... AZ6926 |
| | ○ 1m 4000K white | ... AZ6929 |
| | ● 1m 4000K black | ... AZ7198 |
| | ○ 2m 3000K white | ... AZ6927 |
| | ○ 2m 4000K white | ... AZ6930 |
| | ● 2m 4000K black | ... AZ7199 |
| | ○ 3m 3000K white | ... AZ6928 |
| | ○ 3m 4000K white | ... AZ6931 |
| | ● 3m 4000K black | ... AZ7200 |




- Track IP65 Corner A (Corner90 A)
- | | | |
|------------|---------|------------|
| Code/Color | ○ white | ... AZ6939 |
| | ● black | ... AZ6938 |



- Track IP65 Straight Connector
- | | | |
|------------|---------|------------|
| Code/Color | ○ white | ... AZ6937 |
| | ● black | ... AZ6936 |



- Track IP65 End Cap
- | | | |
|------------|---------|------------|
| Code/Color | ○ white | ... AZ6941 |
| | ● black | ... AZ6940 |





Track IP65 T-connector
Code/Color ○ white ... [AZ6940](#)
 ● black ... [AZ6943](#)



Track IP65 Suspension
Code/Color ○ white ... [AZ6935](#)
 ● black ... [AZ6934](#)



Track IP65 Connectors Set
Code/Color ○ white ... [AZ6932](#)



Track IP65 Silicone Glue
Code/Color ○ white ... [AZ6971](#)




Track IP65 Driver **100W/200W/300W**
Code/Color/Power 100W ... [AZ6964](#)
 200W ... [AZ6965](#)
 300W ... [AZ6966](#)



Track IP65 Cover Box Driver (100W/200W)
Code/Color ○ white ... [AZ6970](#)
 ● black ... [AZ6969](#)

Track IP65 Cover Box Driver (300W)
Code/Color ○ white ... [AZ6967](#)
 ● black ... [AZ6968](#)



TRACK IP65 LIDO 10W 3000K




Light source	Power	Lumens
1x LED integrated	10W	600lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6948

AZ6949



TRACK IP65 LIDO 20W 3000K




Light source	Power	Lumens
1x LED integrated	20W	1000lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6953

AZ6952



TRACK IP65 LIDO 10W 4000K




Light source	Power	Lumens
1x LED integrated	10W	600lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6950

AZ6951



TRACK IP65 LIDO 20W 4000K




Light source	Power	Lumens
1x LED integrated	20W	1000lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	45°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6955

AZ6954



TRACK IP65 MURANO 8W 3000K




Light source	Power	Lumens
1x LED integrated	8W	530lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	50°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6944

AZ6945



TRACK IP65 MURANO 4000K




Light source	Power	Lumens
1x LED integrated	8W	530lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	50°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6946

AZ6947



TRACK IP65 FERNA 16W 3000K




Light source	Power	Lumens
1x LED integrated	16W	660lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6956

AZ6957



TRACK IP65 FERNA 16W 4000K




Light source	Power	Lumens
1x LED integrated	20W	660lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	

- black

○ white
- AZ6958


AZ6959



TRACK IP65 SONIC 3000K




Light source	Power	Lumens
1x LED integrated	8W	420lm
Kelvins	CRI [Ra]	Beam angle
3000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	
● black		
○ white		



TRACK IP65 SONIC 4000K



Light source	Power	Lumens
1x LED integrated	8W	420lm
Kelvins	CRI [Ra]	Beam angle
4000K	≥ 90	38°
Protection level	Material	
IP65	aluminium	
● black		
○ white		



RESERVATIONS
TECHNOLOGICAL changes and limitations

<i>We reserve the rights to make changes in the product range, design and model. Please note that, as a result of printing processes, actual colors may vary from those reproduced here.</i> <i>Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.</i> <i>Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.</i> <i>Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych. Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.</i> <i>Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására. Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.</i> <i>Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn. Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.</i> <i>Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien. Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.</i>
<i>We can paint the lamps in any RAL colour subject to an extra charge.</i> <i>Contre un supplément, il est possible de commander la lampe dansune teinte choisie dans la palette RAL.</i> <i>Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.</i> <i>Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.</i> <i>Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.</i>

RESERVATIONS
TECHNOLOGICAL changes and limitations

<i>2 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami). Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.</i> <i>A warranty of 2 years is given for the driver for LED lamps and light modules (with diodes).</i> <i>The warranty is counted from the day of purchase, confirmed by a bill or an invoice. 2 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt. A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni</i> <i>Les 2 ans de garantie concernant le driver de LED et le module lumineux (avec les diods). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.</i> <i>2 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja Záručná doba sa počíta od dátumu zakúpenia tovaru.</i> <i>2 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje. Záruční doba se počítá od datumu zakoupení zboží.</i>
<i>Ra (CRI) – Colour Rendering Index EU standard – Ra ≥ 80 Best colour rendering index, Ra (CRI) = 100</i> <i>Ra (CRI) – wskaźnik oddawania barw Standard UE – Ra ≥ 80 Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100</i> <i>Ra (CRI)– Index podania farieb Štandard EU – Ra ≥ 80 Najlepší index podania farieb Ra(CRI)=100</i> <i>Ra (CRI)– Index podání barev Standard EU – Ra ≥ 80 Nejlepší index podání barev Ra(CRI)=100</i>